



1-877-PLAYSYSTEMS (752-9797)

www.creativesystems.com

estimating@creativesystems.com

YOUR PATHWAY TO ACCESSIBILITY!

SYSTEM 7

Bonded WoodCarpet®

The Natural Way to Provide Access.
It Really is Accessibility Made Easy!

WOODCARPET® 

BONDED WOOD FIBER

Quality. Integrity. Innovation.
Playground Surfacing by Zeager.

Bonded WoodCarpet®

The Safety of WoodCarpet®
The Accessibility of Poured-in-Place!

SYSTEM 7



WOODCARPET® 
BONDED WOOD FIBER


BONDED WOODCARPET® SYSTEM 7

An Affordable Engineered Solution!

One-and-one-half inches of WoodCarpet® combined with Zeager's specially formulated binders are spread and tamped over a carefully compacted WoodCarpet® base providing for improved access while maintaining excellent fall protection.

It's one of the easiest and most cost-effective ways to design accessibility into and around key recreational features. And since the top layer is fully bonded, children are not removing material during normal play – nor bringing wood fibers inside after play.
You'll love this system.

ZEAGER
PLAYGROUND SURFACING
So Every Child Can Play Safely.[™]
www.zeager.com



To verify product certification visit www.ipema.com

BONDED WOODCARPET® SYSTEM 7

Impact Rating:	8" at 8' and 12" at 12'
ADA compliant:	Yes
Sub-base:	Soil or Sand
GREEN FEATURES: (WoodCarpet Only)	Extracted, Processed & Manufactured Regionally. Pre-Consumer Recovered Content.
KEY FEATURES:	Improved Accessibility. No Blowing or Scattering Material. System Discounts Available.

ORIGINAL CONDITIONAL LIMITED WARRANTY

Zeager warrants its Bonded WoodCarpet® to meet ASTM F1292 at an 8 foot fall height when using an 8" layer of WoodCarpet® or at a 12 foot fall height when using a 12 inch layer of WoodCarpet®, for a period of 3 years.

Installation and maintenance in accordance with Zeager's specifications, using Zeager materials, is required. A complete set of installation instructions, maintenance instructions and warranty are available at www.zeager.com.

MAINTENANCE RECOMMENDATIONS

Daily Maintenance
1. Visually inspect and remove all foreign material (trash, stones, branches, etc.).

MONTHLY MAINTENANCE

1. In the play structure use zones, check the WoodCarpet® depth against depth markings on equipment posts or border timbers. Top off as needed.
2. Check and ensure sufficient depth of WoodCarpet® under each WoodCarpet Mat.® Top off as needed.
3. Check and ensure that each anchored WoodCarpet Mat® is securely anchored.
4. If WoodCarpet® is bonded, check for cracks

and weaknesses in the bonded layer. Cut out any loose or cracked sections and fill in with fresh WoodCarpet® and adhesive.

NOTES:

1. WoodCarpet® contains fresh wood. Fresh wood contains tannins, which are a natural preservative found in living plants and trees that rain will eventually wash out of the WoodCarpet® into the drain system. This dark brown residue is externally harmless to

humans and should gradually diminish. 2. During freezing conditions, WoodCarpet® will likely be less resilient, particularly with poor drainage. Restrict use of the area accordingly. 3. A complete set of installation instructions, maintenance instructions and warranty are available at www.zeager.com.

"Our school serves over 600 children, most with some sort of a special need. Their ages range from birth to five years. Over three years ago, Zeager helped us install Bonded WoodCarpet® on one of our playground areas. Since then, we have done nothing to the Bonded WoodCarpet®. We use the area every nice day we get and have no complaints. We would certainly recommend Bonded WoodCarpet® to others."

– RANDY ROSS

Building Supervisor, H. Winship Wheatley Special Center
Prince Georges County Public Schools, Capital Heights, MD