



# 2007 PRODUCT CATALOG



*A Landscape Brands Company*

Receptacles

Urns

Benches

Tables

Bike Racks



# Get the



# FUSION™

# Advantage

## Lower Total Cost Of Ownership

Buy it **RIGHT**. Buy it to **LAST**.

Backed by the longest guarantee in the industry — **a full seven years** — you can be assured your Fusion products will still be looking good long after the competitors' products have faded, rusted and been replaced.

**YOU NEED**

**TOPCOAT®**

FUSION Product with  
TopCoat After Two Years



**THEIRS After Two Years**



(PSSST...this used to be red!)

Read the **FINE PRINT**.

Read and understand your warranty. What kind of experience have you had with our competition's warranty when the undersupport rusted five years after you bought it? And what kind of experience have you had with their warranty when the table color faded after two or three years?

We are so confident in our quality and durability, if you have those kind of problems (*and we're betting you don't*) we will repair or replace the components at **NO CHARGE** — for a **FULL SEVEN YEARS!** You won't find that anywhere else.



Buy **SMART**.

Only Fusion products feature TopCoat® and FusionGuard®. The unique TopCoat process encapsulates the plastisol coating in a tough, weather-resistant shell. Your furnishings are protected against UV fading, mold and mildew. FusionGuard ensures that every inch of the undersupports of your Fusion furnishings are protected with a zinc-rich primer beneath the powder coat finish — especially the weld points where outdoor furnishings are prone to rusting.

*No Fading. No Molding. No Cracking. No Kidding.*



# New Products



HELVETICA



PALATINO

## Customized options to complete your identity.

Your name cut into heavy-gauge steel, then plastisol coated and finished with the patented TopCoat finish to ensure long life. Choose from 3" or 5" Helvetica letters or 5" Palatino letters.

See page 15 for available TopCoat colors. Dome Top available in Blue, Brown, Evergreen, Grey, Red, or Black.

All items on  
this page are  
**NEW  
FOR '07**

C1337



C1336D



- Seats are heavy-gauge plastisol coated steel.
- High-gloss TopCoat® patented finish is mildew and stain-resistant.

### Perforated Metal Custom Player Benches — Traditional Edge

C1060	6' Bench, Portable	36½"H x 26¾"W • 110 lbs
C1062	6' Bench, Surface	36½"H x 22½"W • 105 lbs
C1061*	6' Bench, Inground	36½"H x 22½"W • 105 lbs
C1063	8' Bench, Portable	36½"H x 26¾"W • 130 lbs
C1065	8' Bench, Surface	36½"H x 22½"W • 125 lbs
C1064*	8' Bench, Inground	36½"H x 22½"W • 125 lbs

### Slotted Metal Custom Ultra Benches

C1337	6' Bench, Portable/Surface	34¾"H x 28¾"W x 80¼"L • 140 lbs
C1416*	6' Bench, Inground	34¾"H x 28¾"W x 80¼"L • 150 lbs

\* Height will vary based on installation depth.

### Customized 32 Gallon Receptacles

C1021	Perforated Receptacle, Contour Lid	30"H x 24½"Dia. • 78 lbs
C1021D	Perforated Receptacle, Dome Top	44"H x 24½"Dia. • 80 lbs
C1336	Slotted Receptacle, Contour Lid	30"H x 24½"Dia. • 81 lbs
C1336D	Slotted Receptacle, Dome Top	44"H x 24½"Dia. • 83 lbs

Includes rigid, reusable plastic liner.



# New Products


## Essential durability and style.

Subtle details and an appealing silhouette combine to create a bench that is both attractive and comfortable. The plastisol coated steel seat is soft to the touch yet sturdy as a rock. Best of all, the Rendezvous Benches are quality constructed of solid steel with cast iron ends to wear well year after year. Coordinating Rendezvous Receptacles on page 33 complement the bench perfectly with elegant steel straps creating a completely harmonized setting. Benches require assembly.

*See page 15 for available TopCoat colors.*



L1366



Square  
Ends

Standard  
Ends

X-Style  
Ends



# New Products

## Rendezvous Benches

L1368	4' Bench, Square Ends	35½"H x 25½"W • 138 lbs
L1365	4' Bench, X-Style Ends	35½"H x 25½"W • 128 lbs
L1361	4' Bench, Standard Ends	35½"H x 25½"W • 200 lbs
L1369	6' Bench, Square Ends	35½"H x 25½"W • 158 lbs
L1367	6' Bench, X-Style Ends	35½"H x 25½"W • 148 lbs
L1364	8' Bench, Standard Ends	35½"H x 25½"W • 350 lbs
L1366	12' Bench, Standard Ends	35½"H x 25½"W • 390 lbs

• Three end styles and plastisol coated seat with TopCoat finish.

• Wears well year after year.

L1369



L1367

## Extended table surface allows for easy wheelchair access.

Tables are ADA compliant. Assembly required.

See page 15 for available TopCoat colors.



D1105

## Perforated Metal Rectangular Tables with Extended TableTop

D1007	Portable Frame	29"H x 64¼"W x 96¼"L • 300 lbs
D1105	Portable Frame	33¾"H x 94¼"W x 114¼"L • 330 lbs

## New items you've asked for:

We've added new sizes to our popular patio tables. Our square table is now available with a slightly larger top, and we've added a bar-height table for stand-up drinking and dining. Brand new to our offering are perforated tables with broad, flat areas to accommodate writing or dining.

See page 15 for available TopCoat colors.

## Perforated Metal Square Patio Table with Traditional Edge

D1151	Portable Frame	35"H x 36"Sq. • 81 lbs
-------	----------------	------------------------

## Classic Perforated Metal Patio Style Table and Chairs

D1155	Bar height table, 36"Dia. table top	42"H x 36"Dia. • 100 lbs
-------	-------------------------------------	--------------------------

## Perforated Metal Rectangular Placemat Tables

D2005	Adult's Table, Portable Frame	29"H x 64¼"W x 72¼"L • 294 lbs
D2006	Children's Table, Portable Frame	20"H x 64¼"W x 72¼"L • 261 lbs



# Rally Line



D6008

D6004

D6001




# Rally Line

*Enduring value, good looks, and advanced manufacturing methods combine to create a revolutionary line of site furnishings.*

The Rally Line allows you to outfit your site with a pulled together, cohesive look. Tables, bench and receptacles are all available in a rainbow of high-gloss TopCoat® colors and feature a distinctive circular perforated pattern that is superior to the diamond-shaped expanded metal commonly found on outdoor site furnishings. The Rally Line's perforated steel seats and tables are more comfortable and provide a more level surface for cups and place settings. Seats and tops fabricated from 14 gauge steel and frames from 2" O.D. tube (except D6001). Assembly required on benches and tables.

*See page 15 for available TopCoat colors.*



**D6002**

## Rally Perforated Metal Benches

D6003	4' Bench, Portable/Surface	32"H x 28½"W • 99 lbs
D6002	6' Bench, Portable/Surface	33"H x 28½"W • 121 lbs
D6009	4' Bench, Inground	32"H x 28¼"W • 106 lbs
D6008	6' Bench, Inground	32"H x 28¼"W • 128 lbs

Height on inground mount will vary based on installation depth.

## Rally Perforated Metal Square Table — 8-Leg 1½" O.D. Frame

D6001	4 Seats, Traditional Edge	29"H x 75½"Sq. • 181 lbs
-------	---------------------------	--------------------------

## Rally Perforated Metal Rectangular Table — 2" O.D. Frame

D6000	6' Table, Traditional Edge	29½"H x 64¼"W • 167 lbs
-------	----------------------------	-------------------------



**D6000**



**D6005DT**

## Rally Perforated Metal Receptacle Combo

D6004	32 Gallon Receptacle, Liner, Contour Top	30"H x 24¼"Dia. • 66 lbs
<b>NEW</b> D6005DT	32 Gallon Receptacle, Liner, Dome Top	44"H x 24¼"Dia. • 80 lbs

## Rally Perforated Metal Planter

<b>NEW</b> D6010	Planter	18"H x 24½"Dia. • 50 lbs
------------------	---------	--------------------------

This item is  
**NEW  
FOR '07**



# Round Tables

## Perforated Metal

*One of our most popular tables now with a perforated pattern!*

Our popular pedestal-mount round table is now available in perforated metal. The perforated pattern is more comfortable for seating and the table top is smoother and more level for place setting stability. The pedestal mount is ideal for ease of maintenance and there are no legs to step through when you sit down.

*See page 15 for available TopCoat® colors.*



### **Round Perforated Metal Tables**

D1005	Inground single-pedestal w/4 seats, 46"Dia. table top	29"H x 75¼"Dia. • 225 lbs
D1366	Inground multi-pedestal w/4 seats, 46"Dia. table top	29"H x 75¼"Dia. • 235 lbs
D1113	Portable w/4 seats, 46"Dia. table top	29"H x 75¼"Dia. • 210 lbs

Height on inground mount will vary based on installation depth.





# Round & Square Tables

## Perforated Metal



### Classic Perforated Metal Patio Style Tables and Chairs

D1150	Round table, 36"Dia. table top	30"H x 36"Dia. • 70 lbs
D1147	Round table, 46"Dia. table top	30"H x 46"Dia. • 120 lbs
D1154	Chair, Heart shaped back	34 $\frac{3}{8}$ "H x 14 $\frac{1}{4}$ "W x 15 $\frac{3}{4}$ "D • 24 lbs
D1153	Chair, Plain back	34 $\frac{3}{8}$ "H x 14 $\frac{1}{4}$ "W x 15 $\frac{3}{4}$ "D • 24 lbs

### **NEW** Classic Perforated Metal Bar Height Table and Bar Stools

D1155	Bar height table, 36"Dia. table top	42"H x 36"Dia. • 100 lbs
D1157	Bar stool, Heart shaped back	30"Dia. • 25 lbs
D1156	Bar stool, Plain back	30"Dia. • 25 lbs



- Strength and beauty all in one!
- Small  $\frac{1}{16}$ " diameter holes create an attractive honeycomb pattern which provides additional strength.
- The internal frame on the tables is hidden behind the solid areas creating a more "uniform" look.
- Assembly required.

### Classic Perforated Metal Patio Style Tables and Chairs

D1152	Square table, 30"Sq. table top	30"H x 30"Sq. • 75 lbs
<b>NEW</b> D1151	Square table, 36"Sq. table top	35"H x 36"Sq. • 81 lbs
D1145	Stackable Chair	32"H x 21 $\frac{1}{4}$ "W x 22 $\frac{1}{2}$ "D • 32 lbs



# Round & Oval Tables

## Expanded Metal

*Easy entry, lots of seating and simple maintenance make these Round and Oval Tables the best in the market.*

- Fusion's round and oval tables offer ample seating around the entire perimeter of the table.
- Frames are heavy-duty steel tubing treated with FusionGuard® prior to powder coating to ensure long life.
- Round tube frames are covered with Flo-Coat®, a triple layer of protection, and further protected with FusionGuard. Frames are then finished in a powder coated color. Square tube frames are FusionGuard protected followed by a powder coated finish.
- Table tops and seats feature Fusion's patented TopCoat® finish for a brilliant and durable high-gloss finish.
- Assembly required.

*See page 15 for available TopCoat colors.*



F1005

### Oval Expanded Metal Table

F1176 6' Portable oval table 30½"H x 69½"W x 72¼"L • 170 lbs



F1366



F1176

### Round Expanded Metal Tables

F1005*	Inground pedestal w/4 seats, 46"Dia. table top	29"H x 75¼"Dia. • 215 lbs
F1366	Inground multi-pedestal w/4 seats, 46"Dia. table top	29"H x 75¼"Dia. • 225 lbs
F1403	Surface mount pedestal w/4 seats, 46"Dia. table top	29"H x 75¼"Dia. • 315 lbs

\* Also available with 2-seats (F1192) or 3-seats (F1193) which when mounted at the appropriate height can be ADA accessible. Height on inground mount will vary based on installation depth.





# Round & Oval Tables

## Expanded Metal

- Tables are designed with an umbrella hole that accommodates a 1½" diameter pole.
- Various mounting styles for portable and permanent-mount applications.
- Tables can be perfectly matched with accent furnishings like benches and receptacles to create a coordinated environment.



### Round Expanded Metal Tables

F1113 Portable w/4 seats, 46"Dia. table top

F1115\* Portable w/4 full seats, 36"Dia. table top

F1018 Portable w/4 round seats, 36"Dia. table top

\* Table top is 29"H.

29"H x 75½"Dia. • 220 lbs

32½"H x 82½"Dia. • 140 lbs

29"H x 75½"Dia. • 125 lbs

### Classic Expanded Metal Patio Style Table and Chairs

F1147 Round table 29"H x 46"Dia. • 100 lbs

F1145 Stackable chair 32¼"H x 22½"W • 28 lbs





# Square Tables

## Expanded Metal

*Space conservation and intimate seating are key design features in our Square Tables.*

Square tables are great for all occasions like a group enjoying lunch in a park, but especially when more face-to-face seating, promoting group interaction, is desired. Square tables with 4 seats will accommodate up to 8 adults, but in less space than a rectangular table requires. All table tops are 46" square and come with an umbrella hole that will accommodate a standard 1½" diameter pole. The table support bracket design allows the umbrella to pass all the way through to the ground. Single pedestal inground versions are also available with just two or three seats, affording easy access ADA wheelchair seating. Single pedestal model with 4 seats is also available in a surface mount version. Traditional edge seats measure 10¼" wide and the rolled edge seats measure a roomy 12" wide. Our unique high-gloss patented TopCoat® finish is mildew and stain resistant. It helps maintain the products' vibrant colors and reduces maintenance. Assembly required.

*See page 15 for available TopCoat colors.*



### **Portable Square Expanded Metal Tables — 4-leg Frame**

F1111	4 Seats, Traditional Edge	29"H x 75¼"Sq. • 230 lbs
F1117*	4 Seats, Rolled Edge	29"H x 78¾"Sq. • 190 lbs

### **Portable Square Expanded Metal Table — 8-leg Frame**

F2114**	4 Seats, Traditional Edge w/full seats	32¾"H x 93½"Sq. • 300 lbs
---------	--	---------------------------

### **Portable Square Expanded Metal Tables — 8-leg Frame**

F1077	4 Seats, Traditional Edge	29"H x 75¼"Sq. • 255 lbs
F1076*	4 Seats, Rolled Edge	29"H x 78¾"Sq. • 270 lbs

\* Design allows seat height flexibility of 1½".

\*\* Table top is 29"H.



# Square & Rectangular Tables

- Patented TopCoat® prevents fading, mold and mildew.
- TopCoat will not continue to burn after exposure to direct flame.



F1077

## Inground Square Expanded Metal Table — Multi-Pedestal

F1387 4 Seats, Traditional Edge 29"H x 75¼"Sq. • 290 lbs

## Inground Square Expanded Metal Tables — Single Pedestal

F1081\*\* 2 Seats, Traditional Edge 29"H x 75¼"Sq. • 225 lbs

F1135\*\* 3 Seats, Traditional Edge 29"H x 75¼"Sq. • 270 lbs

F1080 4 Seats, Traditional Edge 29"H x 75¼"Sq. • 330 lbs

F1078\* 4 Seats, Rolled Edge 29"H x 78¾"Sq. • 345 lbs

## Surface Mount Square Expanded Metal Tables — Single Pedestal

F1404 4 Seats, Traditional Edge 29"H x 75¼"Sq. • 380 lbs

F1405\* 4 Seats, Rolled Edge 29"H x 78¾"Sq. • 345 lbs

\* Design allows seat height flexibility of 1½".

♿ \*\* At the appropriate mounting height, these tables can be made ADA accessible.



F1387

## Children's Picnic Table

- Specifically designed for little legs, with shortened undersupports that position the seats 11" from the ground.
- Traditional edge top and seats have rounded edges for additional safety.
- Assembly required.

See page 15 for available TopCoat colors.

## Square Children's Tables

F1110\* 4-Leg Portable Frame, Expanded Metal

20"H x 75¼"Sq. • 200 lbs

**NEW** D1110\* 4-Leg Portable Frame, Perforated Metal

20"H x 75¼"Sq. • 150 lbs

## Rectangular Children's Expanded Metal Tables

F1162 6' Portable Frame

20"H x 64¼"W x 72¼"L • 180 lbs

F1152 8' Portable Frame

20"H x 64¼"W x 96¼"L • 220 lbs

\* Table top is 46"Sq.



F1110



# Square Tables

## Perforated Metal

D1111



- Strength, beauty and comfort all in one!
- Perforated metal is  $\frac{1}{8}$ " diameter holes with an attractive honeycomb pattern that provides additional strength and a flat, smooth surface, which is a more comfortable seating surface.
- The internal frame on the tables is hidden behind the solid areas creating a more "uniform" look.
- Assembly required.

### Portable Square Perforated Metal Table — 4-leg Frame

D1111 4 Seats, Traditional Edge 29"H x 75 $\frac{1}{4}$ "Sq. • 260 lbs

### Portable Square Perforated Metal Table — 8-leg Frame


D1077 4 Seats, Traditional Edge 29"H x 75 $\frac{1}{4}$ "Sq. • 260 lbs

### Inground Square Perforated Metal Tables — Single Pedestal

D1081\* 2 Seats, Traditional Edge 29"H x 75 $\frac{1}{4}$ "Sq. • 240 lbs

D1135\* 3 Seats, Traditional Edge 29"H x 75 $\frac{1}{4}$ "Sq. • 293 lbs

D1080 4 Seats, Traditional Edge 29"H x 75 $\frac{1}{4}$ "Sq. • 350 lbs

 \* At the appropriate mounting height, these tables can be made ADA accessible.  
Table tops are 46"Sq.

Inground Mount



  
**TOPCOAT®**

The Symbol of Quality

**Patented TopCoat® prevents fading, mold and mildew. TopCoat will not continue to burn after exposure to direct flame.**



# Square Tables

## Perforated Metal


*Fusion's plastisol coated metal is available in your choice of patterns and colors — satisfaction guaranteed for seven years!*




### Stock Colors

Tops/seats and frames are available in the colors shown here. Colors shown are approximate. If you require a precise color comparison, please request a sample.

### Metal Patterns



Expanded



Perforated

$\frac{3}{4}$ " Expanded metal diamond pattern provides a flat surface while maximizing drainage. Perforated metal is  $\frac{1}{8}$ " diameter holes with an attractive honeycomb pattern that provides additional strength and a flat, smooth surface, which is a more comfortable seating surface.





# Octagon Tables

## Traditional Edge

### *Easy entry and exit from seating areas!*

Choose the traditional edge seats or the comfy rolled edge seats. Fusion's tables are available with a pedestal for inground placement or with a portable frame. All tops and seats are plastisol coated and feature our long-lasting, high-gloss TopCoat® finish; frames are protected by FusionGuard®. Assembly required.

*See page 15 for available  
TopCoat colors.*



### **Portable Octagon Expanded Metal Tables — 8-leg Frame**

F1071	Traditional Edge	29"H x 75¼"Sq. • 185 lbs
F2120	Traditional Edge w/Full Seats	29"H x 93½"D • 300 lbs

### **Inground Octagon Expanded Metal Table — Individual Benches**

F1391	Traditional Edge	29"H x 75¼"Sq. • 290 lbs
-------	------------------	--------------------------

Table tops are 46"Sq.

Height on inground mount will vary based on installation depth.



### **Portable Octagon Expanded Metal Table — 4-leg Frame**

F1121	Traditional Edge	29"H x 75¼"Sq. • 224 lbs
-------	------------------	--------------------------

### **Inground Octagon Expanded Metal Tables — Single Pedestal**

F1191	3 Seats, Traditional Edge	29"H x 75¼"Sq. • 220 lbs
F1074	4 Seats, Traditional Edge	29"H x 75¼"Sq. • 266 lbs

Table tops are 46"Sq.

Height on inground mount will vary based on installation depth.



# Octagon & Rectangular

## *Rolled Edge*

**F1118****F1070**

### **Portable Octagon Expanded Metal Tables — Rolled Edge**

F1118*	4-leg Frame, Rolled Edge	29"H x 78¾"Sq. • 205 lbs
F1070*	8-leg Frame, Rolled Edge	29"H x 78¾"Sq. • 255 lbs

### **Inground Octagon Expanded Metal Table — Single Pedestal**

F1072*	4 Seats, Rolled Edge	29"H x 78¾"Sq. • 292 lbs
--------	----------------------	--------------------------

\* Design allows seat height flexibility of 1½".

Table tops are 46"Sq.

Height on inground mount will vary based on installation depth.

### **Rectangular Expanded Metal Tables — 2⅜" O.D. Frame**

F2008*	6' Table, Rolled Edge	30½"H x 66¼"W x 72¼"L • 265 lbs
F2010*	8' Table, Rolled Edge	30½"H x 66¼"W x 96¼"L • 300 lbs

\* Design allows seat height flexibility of 1½".

**F2008**



# Rectangular Tables

## Expanded Metal

*Classic designs featuring unsurpassed strength and durability.*

Tops and bench seats feature 12-gauge steel that has a plastisol coating with an average thickness of 93 mils. Unique, high-gloss patented TopCoat® finish is mildew and stain-resistant.

All traditional edged rectangular tables have rounded corners for safety. Traditional edge seats measure 10½" wide.

Assembly required.

*See page 15 for available TopCoat colors.*



**F2012**

### **Portable Expanded Metal Tables — 1½" O.D. Frame**

F2012	6' Table, Traditional Edge	29"H x 64¼"W x 72¼"L • 210 lbs
F2013	8' Table, Traditional Edge	29"H x 64¼"W x 96¼"L • 250 lbs

### **Portable Expanded Metal Tables — 2¾" O.D. Frame**

F1149	4' Table, Traditional Edge	29"H x 64¼"W x 48¼"L • 185 lbs
F2003	6' Table, Traditional Edge	29"H x 64¼"W x 72¼"L • 235 lbs
F2014	8' Table, Traditional Edge	29"H x 64¼"W x 96¼"L • 280 lbs
F2173	10' Table, Traditional Edge	29"H x 64¼"W x 120¼"L • 370 lbs

### **Inground Expanded Metal Table — Single Pedestal**

F1300	6' Table, Traditional Edge	29"H x 64¼"W x 72¼"L • 325 lbs
-------	----------------------------	--------------------------------

Height on inground mount will vary based on installation depth.

**Inground Mount**



**F1308**



# Rectangular Tables

## Expanded Metal

### Portable Expanded Metal Tables with Full Seat and Back — 2½" O.D. Frame

F1151*	6' Table, Traditional Edge	35"H x 81½"W x 72¼"L • 340 lbs
F1161*	8' Table, Traditional Edge	35"H x 81½"W x 96¼"L • 400 lbs

### Portable Wheelchair Friendly Expanded Metal Table with 3 Seats — 8-Leg 1½" O.D. Frame

F1308**	6' Table, Traditional Edge	29½"H x 46"W x 55"L • 225 lbs
---------	----------------------------	-------------------------------

\* Table tops are 29"H.


\*\* Wheelchair friendly, but not ADA compliant.



Fusion's patented TopCoat is highly stain-resistant and is in compliance with the California Uniform Fire Code 1103.2.1.4.2.



### Security Anchor



### Security Anchor

F1189	Security Anchor	4 lbs
-------	-----------------	-------



# Rectangular Tables

## Perforated Metal



D2003

### *Circular pattern provides added strength and beauty.*

The small  $\frac{1}{8}$ " diameter hole provides additional strength and comfort. Table tops and seats are 12-gauge steel with a plastisol coating with an average thickness of 93 mils. Our unique, high-gloss patented TopCoat® finish is mildew and stain-resistant, maintaining your products' vibrant colors and reducing maintenance. Perforated metal pattern provides smoother surface for place settings. Traditional edge seats measure  $10\frac{1}{4}$ " wide with rounded corners for additional safety. Assembly required.

*See page 15 for available TopCoat colors.*

#### **Portable Rectangular Perforated Metal Tables — 2 $\frac{3}{8}$ " O.D. Frame**

D2003	6' Table, Traditional Edge	29"H x 64 $\frac{1}{4}$ "W x 72 $\frac{1}{4}$ "L • 240 lbs
D2014	8' Table, Traditional Edge	29"H x 64 $\frac{1}{4}$ "W x 96 $\frac{1}{4}$ "L • 280 lbs

#### **Inground Rectangular Perforated Metal Tables — Multi-Pedestal**

D1015	6' Table, Traditional Edge	29"H x 64 $\frac{1}{4}$ "W x 72 $\frac{1}{4}$ "L • 303 lbs
D1016	8' Table, Traditional Edge	29"H x 64 $\frac{1}{4}$ "W x 96 $\frac{1}{4}$ "L • 368 lbs

#### **Inground Rectangular Perforated Metal Table — Single-Pedestal**

<b>NEW</b> D1300	6' Table, Traditional Edge	29"H x 64 $\frac{1}{4}$ "W x 72 $\frac{1}{4}$ "L • 325 lbs
------------------	----------------------------	--

Height on inground mount will vary based on installation depth.

- UV inhibitors protect the surface from exposure to harmful ultra violet rays and extend the product life.
- Frames are heavy-duty steel tubing sealed with our FusionGuard® zinc coating process followed by a rust-resistant powder coat finish.



# ADA Tables

## ADA compliant picnic tables.

- Extended table surface allows for easy wheelchair access.
- Tables are ADA compliant.

The 8' rectangular table with portable frame is designed for easy wheelchair access at one end, the 9½' table at both ends, and can accommodate chair placement at the end or at a side seating position. The eight-leg portable frame table has three seats to allow a wheelchair to pass underneath. Square inground designs and tables that feature bench seats with backs are also available. Assembly required.

See page 15 for available  
TopCoat colors.



### Perforated Metal Square Tables with Extended TableTop

	D1081	Inground Single-Pedestal Mount — 2 Seats	29"H x 75¼"Sq. • 240 lbs
<b>NEW</b>	D1135	Inground Single-Pedestal Mount — 3 Seats	29"H x 75¼"Sq. • 293 lbs

### Perforated Metal Rectangular Tables with Extended TableTop

<b>NEW</b>	D1007*	Portable Frame	29"H x 64¼"W x 96¼"L • 300 lbs
<b>NEW</b>	D1105*	Portable Frame	33⅜"H x 94¼"W x 114¼"L • 330 lbs

### Perforated Metal Square Table with Extended TableTop

<b>NEW</b>	D1403	Surface Single-Pedestal Mount — 3 Seats	29"H x 75¼"Sq. • 250 lbs
------------	-------	---	--------------------------

\* Table top is 29"H.

Height on inground mount will vary based on installation depth.

### Expanded Metal Square Tables with Extended TableTop

F1081	Inground Single-Pedestal Mount — 2 Seats	29"H x 75¼"Sq. • 225 lbs
F1135	Inground Single-Pedestal Mount — 3 Seats	29"H x 75¼"Sq. • 270 lbs

### Expanded Metal Rectangular Tables with Extended TableTop

F1105	Portable Frame	33⅜"H x 64¼"W x 114¼"L • 308 lbs
F1038	Portable Frame	33⅜"H x 64¼"W x 96¼"L • 283 lbs
F1112	Inground Multi-Pedestal Mount	33⅜"H x 64¼"W x 96¼"L • 344 lbs
F1308*	8-Leg Portable Frame — 3 Seats	29½"H x 46"W x 55"L • 225 lbs

### Expanded Metal Rectangular Table with Back & Extended Table Top

F1321**	Portable Frame	35"H x 81½"W x 96¼"L • 365 lbs
---------	----------------	--------------------------------

### Expanded Metal Round Tables with Extended TableTop

F1192	Inground Single-Pedestal Mount — 2 Seats	29"H x 75¼"Sq. • 210 lbs
F1193	Inground Single-Pedestal Mount — 3 Seats	29"H x 75¼"Sq. • 255 lbs

\* Wheelchair friendly, but not ADA compliant.

\*\* Table top is 29"H.

Height on inground mount will vary based on installation depth.

F1112



F1038



# Space Saver Benches

*Two designs offer a great solution in areas where space is limited.*

Bench seats and backs are 12-gauge expanded metal that is plastisol coated with an average thickness of 93 mils providing both comfort and durability. UV inhibitors protect the surface from exposure to harmful ultra violet rays and extend product life. Unique high-gloss patented TopCoat® finish is mildew and stain resistant, maintaining the vibrant colors and reducing maintenance. TopCoat protection gives you unsurpassed quality, beauty and durability. Traditional edge seats measure 10¼" wide. Single-sided models are also available. Assembly required.

*See page 28 for available TopCoat colors.*

## Double Expanded Metal Benches — 4" Tube Frame

F1350	4' Bench, Surface Mount	38"H x 39¾"W x 48¼"L • 175 lbs
F1352	6' Bench, Surface Mount	38"H x 39¾"W x 72¼"L • 265 lbs
F1354	8' Bench, Surface Mount	38"H x 39¾"W x 96¼"L • 305 lbs
F1351	4' Bench, Inground	38"H x 39¾"W x 48¼"L • 205 lbs
F1353	6' Bench, Inground	38"H x 39¾"W x 72¼"L • 295 lbs
F1355	8' Bench, Inground	38"H x 39¾"W x 96¼"L • 335 lbs

Height on inground mount will vary based on installation depth.



## Single Expanded Metal Benches — 4" Tube Frame

F1346	4' Bench, Surface Mount	38"H x 23¾"W x 48¼"L • 100 lbs
F1304	6' Bench, Surface Mount	38"H x 23¾"W x 72¼"L • 170 lbs
F1348	8' Bench, Surface Mount	38"H x 23¾"W x 96¼"L • 190 lbs
F1347	4' Bench, Inground	38"H x 21¾"W x 48¼"L • 130 lbs
F1345	6' Bench, Inground	38"H x 21¾"W x 72¼"L • 200 lbs
F1349	8' Bench, Inground	38"H x 21¾"W x 96¼"L • 220 lbs

Height on inground mount will vary based on installation depth.





# Deep Seated Benches



F1339

Seats are a roomy 15" deep!

## *Roomy seats provide greater comfort.*

Both the backs and seats are a roomy 15" deep, which provides better support and makes them much more comfortable than standard benches. Seats and backs feature a thick plastisol coating that is topped off with our patented TopCoat finish which will ensure that these benches will look great for years.

Available as portable, surface mount or inground mount. Frames are heavy-gauge galvanized steel that is protected against rust with our patented FusionGuard® finish followed with a high-gloss powder coat. Assembly required.

*See page 28 for available TopCoat colors.*



F3018



F3039

### **Flat Benches**

F3036	4' Bench, Portable	20¼"H x 27"W x 48¼"L • 60 lbs
F3035	4' Bench, Inground	22½"H x 15¼"W x 48¼"L • 55 lbs
F3037	4' Bench, Surface Mount	20¼"H x 15¼"W x 48¼"L • 52 lbs
F3018	6' Bench, Portable	20¼"H x 27"W x 72¼"L • 77 lbs
F3017	6' Bench, Inground	22½"H x 15¼"W x 72¼"L • 70 lbs
F3039	6' Bench, Surface Mount	20¼"H x 15¼"W x 72¼"L • 64 lbs
F3041	8' Bench, Portable	20¼"H x 27"W x 96¼"L • 91 lbs
F3040	8' Bench, Inground	22½"H x 15¼"W x 96¼"L • 85 lbs
F3042	8' Bench, Surface Mount	20¼"H x 15¼"W x 96¼"L • 82 lbs



F3044

### **Benches with Back**

F3044	4' Bench, Portable	39"H x 27"W x 48¼"L • 111 lbs
F3043	4' Bench, Inground	39½"H x 25"W x 48¼"L • 106 lbs
F3045	4' Bench, Surface Mount	39"H x 25"W x 48¼"L • 106 lbs
F1338	6' Bench, Portable	39"H x 27"W x 72¼"L • 160 lbs
F1337	6' Bench, Inground	39½"H x 25"W x 72¼"L • 120 lbs
F1339	6' Bench, Surface Mount	39"H x 25"W x 72¼"L • 130 lbs
F3050	8' Bench, Portable	39"H x 27"W x 96¼"L • 171 lbs
F3049	8' Bench, Inground	39½"H x 25"W x 96¼"L • 165 lbs
F3051	8' Bench, Surface Mount	39"H x 25"W x 96¼"L • 165 lbs

Height on inground mount will vary based on installation depth.



# Park & Player Benches

*Perfect for any setting — especially parks and sports fields.*

Player benches are ideal for quick team transition from field to bench. Three leg styles are available: surface mount (must bolt down), portable (no holes for bolting) or inground (to sink into concrete). Bench seats are heavy-gauge steel that has a plastisol coating with an average thickness of 93 mils providing both comfort and durability. UV inhibitors protect the surface from exposure to harmful ultra violet rays and extend the product life. A unique high-gloss TopCoat® finish is mildew and stain-resistant. TopCoat protection gives you unsurpassed quality, beauty and durability. Frames are heavy-duty galvanized steel tubing sealed with a FusionGuard® zinc coating process followed by a rust-resistant powder coat finish. Assembly required (mounting hardware not included).

*Available in expanded metal or perforated metal. See page 28 for available TopCoat colors.*



**F1062**



**D1060**



**Portable**

**Surface**

**Inground**

## Expanded Metal Benches with Back — Traditional Edge

	F1060	6' Bench, Portable	36½"H x 26¾"W x 72¼"L • 120 lbs
	F1063	8' Bench, Portable	36½"H x 26¾"W x 96¼"L • 140 lbs
<b>NEW</b>	F1200	10' Bench, Portable	36½"H x 26¾"W x 120¼"L • 178 lbs
	F1170	15' Bench, Portable	36½"H x 26¾"W x 180¼"L • 245 lbs
	F1061	6' Bench, Inground	36½"H x 22½"W x 72¼"L • 120 lbs
	F1064	8' Bench, Inground	36½"H x 22½"W x 96¼"L • 140 lbs
	F1196	15' Bench, Inground	36½"H x 22½"W x 180¼"L • 240 lbs
	F1359	20' Bench, Inground	36½"H x 22½"W x 240"L • 380 lbs
	F1062	6' Bench, Surface Mount	36½"H x 22½"W x 72¼"L • 120 lbs
	F1065	8' Bench, Surface Mount	36½"H x 22½"W x 96¼"L • 140 lbs
	F1197	15' Bench, Surface Mount	36½"H x 22½"W x 180¼"L • 240 lbs

Height on inground mount will vary based on installation depth.



# Park & Player Benches

## Perforated Metal Benches with Back — Traditional Edge

D1060	6' Bench, Portable	36½"H x 26¼"W x 72¼"L • 110 lbs
D1063	8' Bench, Portable	36½"H x 26¼"W x 96¼"L • 130 lbs
D1061	6' Bench, Inground	36½"H x 22½"W x 72¼"L • 120 lbs
D1064	8' Bench, Inground	36½"H x 22½"W x 96¼"L • 125 lbs
D1062	6' Bench, Surface Mount	36½"H x 22½"W x 72¼"L • 105 lbs
D1065	8' Bench, Surface Mount	36½"H x 22½"W x 96¼"L • 125 lbs

**NEW** D1359 20' Bench, Inground 36½"H x 22½"W x 240"L • 500 lbs

Height on inground mount will vary based on installation depth.



- Patented TopCoat® prevents fading, mold and mildew.
- TopCoat will not continue to burn after exposure to direct flame.

## Expanded Metal Benches with Back — Rolled Edge

F1050	6' Bench, Portable	37"H x 26¾"W x 72¼"L • 140 lbs
F1053	8' Bench, Portable	37"H x 26¾"W x 96¼"L • 180 lbs
F1051	6' Bench, Inground	37"H x 23¾"W x 72¼"L • 140 lbs
F1054	8' Bench, Inground	37"H x 23¾"W x 96¼"L • 180 lbs
F1052	6' Bench, Surface Mount	37"H x 23¾"W x 72¼"L • 140 lbs
F1055	8' Bench, Surface Mount	37"H x 23¾"W x 96¼"L • 180 lbs

Height on inground mount will vary based on installation depth.





# Park & Player Benches

*Flat Benches — use anywhere a backrest is not needed.*

Flat benches are available in three leg styles — surface mount, portable and inground mount.


Traditional edge style features a 10¼" wide seat; the rolled edge style has a roomy 12" wide seat.

A wall-mount bench is available for pools, gyms or dugouts. Assembly required.

*Available in expanded metal or perforated metal. See page 28 for perforated and expanded styles and color choices.*

  
The Symbol of Quality

**Patented TopCoat®  
prevents fading,  
mold and mildew.  
TopCoat will not  
continue to burn  
after exposure to  
direct flame.**



## Perforated Metal Benches — Traditional Edge

D3020	6' Bench, Portable	20"H x 26¼"W x 72¼"L • 65 lbs
D3023	8' Bench, Portable	20"H x 26¼"W x 96¼"L • 75 lbs
<b>NEW</b> D3131	10' Bench, Portable	20"H x 10¼"W x 120¼"L • 120 lbs
D3021	6' Bench, Inground	20"H x 10¼"W x 72¼"L • 60 lbs
D3024	8' Bench, Inground	20"H x 10¼"W x 96¼"L • 70 lbs
D3022	6' Bench, Surface Mount	20"H x 10¼"W x 72¼"L • 60 lbs
D3025	8' Bench, Surface Mount	20"H x 10¼"W x 96¼"L • 70 lbs

Height on inground mount will vary based on installation depth.





# Park & Player Benches

*D3021*



## Expanded Metal Benches — Traditional Edge

F3020	6' Bench, Portable	20"H x 26 $\frac{3}{4}$ "W x 72 $\frac{1}{4}$ "L • 70 lbs
F3023	8' Bench, Portable	20"H x 26 $\frac{3}{4}$ "W x 96 $\frac{1}{4}$ "L • 80 lbs
F3131	10' Bench, Portable	20"H x 26 $\frac{3}{4}$ "W x 120 $\frac{1}{4}$ "L • 105 lbs
F3026	15' Bench, Portable	20"H x 26 $\frac{3}{4}$ "W x 180 $\frac{1}{4}$ "L • 140 lbs
F3021	6' Bench, Inground	20"H x 10 $\frac{1}{4}$ "W x 72 $\frac{1}{4}$ "L • 65 lbs
F3024	8' Bench, Inground	20"H x 10 $\frac{1}{4}$ "W x 96 $\frac{1}{4}$ "L • 75 lbs
<b>NEW</b> F3133	10' Bench, Inground	20"H x 10 $\frac{1}{4}$ "W x 120 $\frac{1}{4}$ "L • 105 lbs
F3027	15' Bench, Inground	20"H x 10 $\frac{1}{4}$ "W x 180 $\frac{1}{4}$ "L • 135 lbs
F3022	6' Bench, Surface Mount	20"H x 10 $\frac{1}{4}$ "W x 72 $\frac{1}{4}$ "L • 65 lbs
F3025	8' Bench, Surface Mount	20"H x 10 $\frac{1}{4}$ "W x 96 $\frac{1}{4}$ "L • 75 lbs
F3130	10' Bench, Surface Mount	20"H x 10 $\frac{1}{4}$ "W x 120 $\frac{1}{4}$ "L • 100 lbs
F3199	15' Bench, Surface Mount	20"H x 10 $\frac{1}{4}$ "W x 180 $\frac{1}{4}$ "L • 135 lbs

## Expanded Metal Benches — Rolled Edge

F3029	6' Bench, Portable	21 $\frac{1}{2}$ "H x 26 $\frac{3}{4}$ "W x 72 $\frac{1}{4}$ "L • 80 lbs
F3032	8' Bench, Portable	21 $\frac{1}{2}$ "H x 26 $\frac{3}{4}$ "W x 96 $\frac{1}{4}$ "L • 90 lbs
F3030	6' Bench, Inground	21 $\frac{1}{2}$ "H x 12"W x 72 $\frac{1}{4}$ "L • 75 lbs
F3033	8' Bench, Inground	21 $\frac{1}{2}$ "H x 12"W x 96 $\frac{1}{4}$ "L • 85 lbs
F3031	6' Bench, Surface Mount	21 $\frac{1}{2}$ "H x 12"W x 72 $\frac{1}{4}$ "L • 75 lbs
F3034	8' Bench, Surface Mount	21 $\frac{1}{2}$ "H x 12"W x 96 $\frac{1}{4}$ "L • 85 lbs

Height on inground mount will vary based on installation depth.

- Fusion offers the wall-mount bench — perfect for pools, gyms, dugouts and athletic clubs.
- 10 $\frac{1}{4}$ " wide seat with traditional edge.
- Extends 17 $\frac{1}{4}$ " from the wall.



## Expanded Metal Benches — Traditional Edge

F1180	4' Bench, Wall-Mount	16 $\frac{3}{4}$ "W x 48 $\frac{1}{2}$ "L • 55 lbs
F1102	6' Bench, Wall-Mount	16 $\frac{3}{4}$ "W x 72 $\frac{1}{4}$ "L • 65 lbs
F1103	8' Bench, Wall-Mount	16 $\frac{3}{4}$ "W x 96 $\frac{1}{4}$ "L • 75 lbs
<b>NEW</b> F1104	10' Bench, Wall-Mount	16 $\frac{3}{4}$ "W x 120 $\frac{1}{4}$ "L • 150 lbs

Height on wall-mount will vary based on installation.



# Ultra Line

## Ultra sleek — ultra comfortable.

- One-piece arm and leg design.
- Rolled seat edges for a bench that is comfortable and attractive.
- Contour benches feature complete back support for ultimate comfort.
- Flat bench is easily utilized from either side.

The portable/surface mount benches are complete with a small tab with a bolt hole for mounting (mounting hardware not included) or choose the inground bench to sink into concrete ensuring permanent placement. Assembly required.



### Perforated Metal Flat Bench

**NEW** D1360 6' Bench, Portable/Surface 23"H x 32 1/4"W x 80 1/4"L • 125 lbs

### Expanded Metal Flat Benches

F1389 4' Bench, Portable/Surface 23"H x 32 1/4"W x 56 1/4"L • 100 lbs


F1388 4' Bench, Inground 23"H x 32 1/4"W x 56 1/4"L • 120 lbs

F1360 6' Bench, Portable/Surface 23"H x 32 1/4"W x 80 1/4"L • 129 lbs


F1362 6' Bench, Inground 23"H x 32 1/4"W x 80 1/4"L • 165 lbs

Height on inground mount will vary based on installation depth.

*Fusion's plastisol coated metal is available in your choice of patterns and colors — satisfaction guaranteed for seven years!*




Red Vanilla Black Yellow Burgundy Evergreen




Teal Camel Blue White Brown

## Stock Colors

Tops/seats and frames are available in the colors shown here. Colors shown are approximate. If you require a precise color comparison, please request a sample.



Purple




Grey

## Metal Patterns



Expanded



Perforated

Expanded metal diamond pattern provides a flat surface while maximizing drainage. Perforated metal is 1/16" diameter holes with an attractive honeycomb pattern that provides additional strength and a flat, smooth surface, which is a more comfortable seating surface.



# Ultra Line

*D1027*



*L1416*

## Perforated Metal Contour Benches

D1026	4' Bench, Portable/Surface	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 56 $\frac{1}{4}$ "L • 85 lbs
D1027	6' Bench, Portable/Surface	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 80 $\frac{1}{4}$ "L • 155 lbs
D1028	4' Bench, Inground	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 56 $\frac{1}{4}$ "L • 150 lbs
D1029	6' Bench, Inground	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 80 $\frac{1}{4}$ "L • 165 lbs

## Slotted Metal Contour Benches

L1343	4' Bench, Portable/Surface	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 56 $\frac{1}{4}$ "L • 120 lbs
L1337	6' Bench, Portable/Surface	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 80 $\frac{1}{4}$ "L • 140 lbs
L1344	4' Bench, Inground	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 56 $\frac{1}{4}$ "L • 137 lbs
L1416	6' Bench, Inground	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 80 $\frac{1}{4}$ "L • 150 lbs

## Expanded Metal Contour Benches

F1026	4' Bench, Portable/Surface	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 56 $\frac{1}{4}$ "L • 105 lbs
F1027	6' Bench, Portable/Surface	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 80 $\frac{1}{4}$ "L • 149 lbs
F1028	4' Bench, Inground	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 56 $\frac{1}{4}$ "L • 120 lbs
F1029	6' Bench, Inground	34 $\frac{3}{4}$ "H x 28 $\frac{3}{8}$ "W x 80 $\frac{1}{4}$ "L • 155 lbs

Height on inground mount will vary based on installation depth.

Fusion's frame coating lasts four times longer than regular powder coated frames.



*F1026*



# Courtyard Line

*Fusion brings you a bench with traditional charm and unique support mounts.*

Enhance any park or outdoor setting with the beautiful expanded metal Courtyard bench. The bench seats are 12-gauge steel that has a plastisol coating with an average thickness of 93 mils providing both comfort and durability. UV inhibitors protect the surface from exposure to harmful ultra violet rays and extend product life. Unique high-gloss patented TopCoat® process is mildew and stain-resistant. It helps maintain your products' vibrant colors and reduces maintenance. TopCoat protection gives you unsurpassed quality, beauty and durability. This model offers various leg mountings to satisfy any requirement, including the Courtyard Portable and Courtyard Gullwing that are unique to this style. Assembly required.

*See page 28 for available TopCoat colors.*



*F1035*



**Inground**



**Surface**



**Portable**



**Gullwing**



*F1033*



# Courtyard Line



**F1030**

- Fusion's 12-gauge galvanized steel tubular frames have a FusionGuard® protective coating followed by a rust-resistant powder coat finish.
- Gullwing legs are a 12-gauge steel with a rust-resistant powder coat finish.

## Expanded Metal Courtyard Benches

F1030	4' Bench • Portable	34 $\frac{3}{4}$ "H x 31 $\frac{1}{2}$ "W x 48 $\frac{1}{4}$ "L • 95 lbs
F1034	6' Bench • Portable	34 $\frac{3}{4}$ "H x 31 $\frac{1}{2}$ "W x 72 $\frac{1}{4}$ "L • 140 lbs
F1032	4' Bench • Inground	34 $\frac{3}{4}$ "H x 25 $\frac{3}{4}$ "W x 48 $\frac{1}{4}$ "L • 85 lbs
F1036	6' Bench • Inground	34 $\frac{3}{4}$ "H x 25 $\frac{3}{4}$ "W x 72 $\frac{1}{4}$ "L • 140 lbs
F1033	4' Bench • Surface mount	34 $\frac{3}{4}$ "H x 25 $\frac{3}{4}$ "W x 48 $\frac{1}{4}$ "L • 90 lbs
F1037	6' Bench • Surface mount	34 $\frac{3}{4}$ "H x 25 $\frac{3}{4}$ "W x 72 $\frac{1}{4}$ "L • 140 lbs
F1031	4' Bench • Gullwing	34 $\frac{3}{4}$ "H x 25 $\frac{3}{4}$ "W x 48 $\frac{1}{4}$ "L • 120 lbs
F1035	6' Bench • Gullwing	34 $\frac{3}{4}$ "H x 25 $\frac{3}{4}$ "W x 72 $\frac{1}{4}$ "L • 140 lbs

Height on inground mount will vary based on installation depth.



**F1035**



# Rendezvous Line



This item is  
**NEW  
FOR '07**

*L1369*



# Rendezvous Line


## *Classic lines give you a sense of style.*

Subtle details and an appealing silhouette combine to create a bench that is both attractive and comfortable. The plastisol coated steel seat is soft to the touch yet sturdy as a rock. Best of all, the Rendezvous Bench is quality constructed of solid steel with cast iron, square or round tubular ends to wear well year after year. Coordinating Rendezvous receptacles complement the bench perfectly with elegant steel straps creating a completely harmonized setting. Bench requires assembly.

*Bench is available in all TopCoat® colors shown on page 28. Receptacles are available in Black or Evergreen powder coat finish.*

### Rendezvous Benches

<b>NEW</b>	L1368	4' Bench, Square Ends	35½"H x 25½"W • 138 lbs
<b>NEW</b>	L1365	4' Bench, X-Style Ends	35½"H x 25½"W • 128 lbs
<b>NEW</b>	L1361	4' Bench, Standard Ends	35½"H x 25½"W • 200 lbs
<b>NEW</b>	L1369	6' Bench, Square Ends	35½"H x 25½"W • 158 lbs
<b>NEW</b>	L1367	6' Bench, X-Style Ends	35½"H x 25½"W • 148 lbs
	L1360	6' Bench, Standard Ends	35½"H x 25½"W • 198 lbs
<b>NEW</b>	L1364	8' Bench, Standard Ends	35½"H x 25½"W • 350 lbs
<b>NEW</b>	L1366	12' Bench, Standard Ends	35½"H x 25½"W • 390 lbs



L1360



L1367



L5010-FT



L5012-FT



Dome Top



Ashtray Top

### 24 Gallon Rendezvous Receptacles — Standard Band

L5012-FT	Flat Top	36"H x 23"Dia. • 57 lbs
L5012-DT	Dome Top	45½"H x 23"Dia. • 62 lbs
L5012-AT	Ashtray Top	44¼"H x 23"Dia. • 61 lbs

### 36 Gallon Rendezvous Receptacles — Standard Band

L5011-FT	Flat Top	36"H x 28"Dia. • 93 lbs
L5011-DT	Dome Top	45½"H x 28"Dia. • 97 lbs
L5011-AT	Ashtray Top	44¼"H x 28"Dia. • 95 lbs

### 36 Gallon Rendezvous Receptacles — Decorative Band

L5010-FT	Flat Top	36"H x 28"Dia. • 93 lbs
L5010-DT	Dome Top	45½"H x 28"Dia. • 97 lbs
L5010-AT	Ashtray Top	44¼"H x 28"Dia. • 95 lbs



# Designer Line

## *Unique patterns create an upscale look!*

- UV inhibitors protect the surface from exposure to harmful ultra violet rays and extend the product life.
- Unique high-gloss patented TopCoat® finish is mildew and stain-resistant.

Designer benches and receptacles are constructed using industry leading technology not found in any other plastisol coated site furnishings on the market. Seat designs and receptacles are crafted with heavy-gauge slotted steel that has a plastisol coating with an average thickness of 93 mils providing both comfort and durability. Bench ends are available in two styles; both are constructed from 11-gauge steel tubing sealed with FusionGuard® zinc coating process followed by a rust-resistant powder coated finish. Stainless steel studs are used to attach the bench seat and end. These portable benches can also be surface mounted using the small tabs on the bench feet (hardware not included). Assembly required.

*See page 28 for available TopCoat colors.*



L1422

Open  
EndsDesigner  
Arms

See our matching  
Designer Receptacles  
on pages 38-39.



L1427



L1425

### **Benches with Open Ends**

L1426	Web Style	34¾"H x 28"W x 75¼"L • 150 lbs
L1424	Narrowing the Gap Style	34¾"H x 28"W x 75¼"L • 150 lbs
L1422	Sunburst Style	34¾"H x 28"W x 75¼"L • 170 lbs


### **Benches with Arms**

L1427	Web Style	33½"H x 25½"W x 75¼"L • 160 lbs
L1425	Narrowing the Gap Style	33½"H x 25½"W x 75¼"L • 160 lbs
L1423	Sunburst Style	33½"H x 25½"W x 75¼"L • 190 lbs

Predrilled tabs on feet for surface mounting (hardware not included).



# Ash Urns



*Square ash urn adds sleek style to any tight space.*

- Slim, space-saving and all-steel design makes the Square Ash Urn a unique design.
- Collection tube is completely concealed and very easy to empty.
- The inner tube has a 14-gauge curved top cover that helps keep the elements out.
- Setscrew secures the ash tube-loosen the setscrew and lift the tube out to empty.
- 11-gauge outer tube with a bolt-down base of  $\frac{3}{8}$ " metal.
- FusionGuard® finish for superior protection.

The replaceable ash tube is made of 20-gauge galvanized sheet metal and is powder coated to prevent rust. Available in a wide variety of colors.

*See page 28 for available TopCoat colors.*

**F3000**

**F3001**



Comes complete with an easy-lift ash tube. To empty, simply loosen the setscrew and lift the tube out.

## Slim Steel Ash Urn

F3000 Square Urn 40"H, 4" square tube, 8" square base • 27 lbs

F3001 Replacement Ash Tube 11 lbs



**F1025**

*Round ash urn for any situation.*

- High-density polyethylene vacuum formed plastic top.
- Includes a generous supply of Black Beauty sand substitute.

*See page 28 for available TopCoat colors.*

## Steel Ash Urn

F1025 Round Urn 24"H x 10"Dia. • 23 lbs



# Litter Receptacles

## *Functional style and superb durability from Fusion!*

Heavy-gauge steel is plastisol coated with an average thickness of 93 mils providing durability. UV inhibitors protect the surface from exposure to harmful UV rays. Patented high-gloss TopCoat® finish is mildew and stain-resistant. A wide bottom cross bar brace gives your liner solid footing. Predrilled holes allow for anchoring if used on a concrete surface. A security attachment kit is included with each optional top. Receptacles, lids and plastic liners are sold separately.

*See page 28 for available TopCoat colors.*

### 32 Gallon Receptacles — Tops — Liners

D1021	Perforated Metal Receptacle	30"H x 24"Dia. • 65 lbs
L1336	Slotted Metal Receptacle	30"H x 24"Dia. • 81 lbs
F1021	Expanded Metal Receptacle	30"H x 24"Dia. • 66 lbs
F1023	Expanded Metal Flat Top	2½"H x 25¼"Dia. • 21 lbs
F3015	Igloo Style Top	16"H x 24½"Dia. • 15 lbs
F1177	Ash/Trash Top	9½"H x 25¼"Dia. • 27 lbs
F3005	Universal Contour Top	1½"H x 24½"Dia. • 6 lbs
L1405	Slotted Metal Flat Top	2½"H x 25¼"Dia. • 25 lbs
F1017	Black Plastic Liner	27"H x 21¾"Dia. • 6 lbs



### Rally Perforated Metal Receptacle Combo

	D6004	32 Gallon Receptacle, Contour Top, and Liner	30"H x 24½"Dia. • 66 lbs
<b>NEW</b>	D6005DT	32 Gallon Receptacle, Dome Top, and Liner	44"H x 24½"Dia. • 80 lbs



# Litter Receptacles

## *Guaranteed not to rust, fade, or mold.*

Tops on the 5 gallon ash/trash are high-density vacuum formed polyethylene. 23 gallon ash/trash receptacle has an 18-gauge powder coated spun metal top with 10" diameter molded-in ashtray. Lift-off tops are secured to the receptacles with a security strap. All models include a rigid, reusable plastic liner and a generous supply of Black Beauty sand substitute for the ashtray.

*See page 28 for available TopCoat colors.*

### **22 Gallon Receptacles — Tops — Liners**

F1190	Expanded Metal Receptacle	26¾"H x 21¾"Dia. • 47 lbs
F1195	Expanded Metal Flat Top	2"H x 23¾"Dia. • 16 lbs
F1014	Black Plastic Liner	22½"H x 19½"Dia. • 5 lbs

### **23 Gallon Ash/Trash Receptacles with Liners**

F3200	Expanded Metal	30½"H x 23¾"Dia. • 87 lbs
-------	----------------	---------------------------

### **5 Gallon Ash/Trash Receptacles with Liners**

F1381	Expanded Metal	24¾"H x 14½"Dia. • 35 lbs
L1402	Slotted Metal	24¾"H x 14½"Dia. • 35 lbs

**F3200**



**F1381**



**L1402**



- Heavy-gauge plastisol coated steel with a seven-year guarantee.
- UV inhibitors keep color and shine looking like new.
- Ashtrays include Black Beauty sand substitute

*Now available with included Lid & Liner.*

### **NEW 32 Gallon Round Receptacles, Lids & Liners COMBO**

D1021D	Perforated Metal Receptacle, Dome Top, and Liner	44"H x 24½"Dia. • 86 lbs
D1021M	Perforated Metal Receptacle, Contour Top, and Liner	30"H x 24½"Dia. • 77 lbs
F1021D	Expanded Metal Receptacle, Dome Top, and Liner	44"H x 24½"Dia. • 87 lbs
F1021M	Expanded Metal Receptacle, Contour Top, and Liner	30"H x 24½"Dia. • 78 lbs
L1336D	Slotted Metal Receptacle, Dome Top, and Liner	44"H x 24½"Dia. • 102 lbs
L1336M	Slotted Metal Receptacle, Contour Top, and Liner	30"H x 24½"Dia. • 93 lbs

### **NEW 22 Gallon Round Receptacle, Lid & Liner COMBO**

F1190M	Expanded Metal Receptacle, Expanded Top, and Liner	26¾"H x 22"Dia. • 68 lbs
--------	--	--------------------------



# Designer Line

## *Designer style for your Receptacles!*

- Designed to match the benches, these receptacles are constructed with a wide bottom cross bar brace that gives your liner a solid footing.
- Predrilled holes allow for anchoring if used on a concrete surface.
- Receptacles are designed to accept a 30 gallon (square model) or 32 gallon (round model) liner.

The square receptacle is available with an optional plastic molded Brown lid with a 6" diameter waste opening or a plastisol coated metal lid with an 8" diameter waste opening. The optional flat lid for the round receptacle is available in plastisol coated metal with an 8" diameter waste opening. Round receptacles are also available with a powder coated 18-gauge spun metal Universal Contour top. All optional tops feature a security attachment kit so that you can attach your top directly to the container to reduce theft and vandalism. Our optional inground or surface mount kit lifts the container approximately 5" off the ground for easier cleaning of the area.

*See page 28 for available TopCoat® colors.*

*See page 34 for matching Designer Benches.*



**L1435**

**L1408**



**L1430**



**Narrowing  
the Gap**



**Web Style  
(Round)**



**Web Style  
(Square)**



# Designer Line

## Round Receptacles — Lids — Liner

L1406	Narrowing the Gap Style Receptacle	30"H x 24"Dia. • 66 lbs
L1408	Web Style Receptacle	30"H x 24"Dia. • 69 lbs
L1405	Slotted Flat Top	2½"H x 25¼"Dia. • 25 lbs
F3005	Universal Contour Top	1½"H x 24½"Dia. • 6 lbs
F1017	32 Gallon Black Liner	27"H x 21¾"Dia. • 6 lbs

## Square Receptacles — Lids — Liner

L1430	Web Style Receptacle	30"H x 17¾"Sq. • 65 lbs
L1435	Flat Metal Top	1¾"H x 18"Sq. • 18 lbs
L1436	Flat Plastic Top	1¾"H x 17¾"Sq. • 3 lbs
L1437	30 Gallon Black Liner	28¾"H x 15¾"Sq. • 10 lbs

## Mounting Kits

F1094	Inground Mount Kit	9 lbs
F1098	Surface Mount Kit	9 lbs



L1436

L1430

L1405



L1406

L1408



F3005

Now available with included Lid & Liner.

## **NEW** 32 Gallon Square Receptacles, Lids & Liners COMBO

L1406D	Narrowing the Gap Style Receptacle, Dome Top, and Liner	44"H x 24½"Dia. • 87 lbs
L1406M	Narrowing the Gap Style Receptacle, Contour Top, and Liner	30"H x 24½"Dia. • 78 lbs
L1408D	Web Style Receptacle, Dome Top, and Liner	44"H x 24½"Dia. • 90 lbs
L1408M	Web Style Receptacle, Contour Top, and Liner	30"H x 24½"Dia. • 81 lbs

## **NEW** 30 Gallon Round Receptacle Lid & Liner COMBO

L1430M	Web Style Receptacle, Flat Metal Top, and Liner	30"H x 18"Sq. • 93 lbs
--------	---	------------------------



# Receptacle Tops

F3005



*Top your Fusion receptacles with your choice of five attractive lids.*

- 18-gauge spun metal Universal Contour Top.
- Plastic Igloo style top has self-closing doors and no springs or closing mechanism to break or wear out.
- Fits 32 gallon receptacles.
- Same long-lasting quality as the receptacles.

The Igloo style top features a 7 $\frac{7}{8}$ " x 12 $\frac{1}{2}$ " self-closing push door. Mix or match colors with a receptacle to get the perfect container for your facility.

*See page 28 for available TopCoat® colors. Plastic Igloo style tops are available in Brown, Black, Red, Blue, Evergreen, or Grey.*

F3015



Each top is available in a rainbow of colors.

## 32 Gallon Receptacle Lids

F1023	Expanded Metal Flat Top	2 $\frac{1}{2}$ "H x 25 $\frac{1}{4}$ "Dia. • 21 lbs
L1405	Slotted Metal Flat Top	2 $\frac{1}{8}$ "H x 25 $\frac{1}{4}$ "Dia. • 25 lbs
F3005	Universal Contour Top	1 $\frac{1}{2}$ "H x 24 $\frac{1}{2}$ "Dia. • 6 lbs
F3015	Igloo Style Top	16"H x 24 $\frac{1}{2}$ "Dia. • 15 lbs
F1177	Ash/Trash Top	9 $\frac{1}{2}$ "H x 25 $\frac{1}{4}$ "Dia. • 27 lbs

F1023



L1405



F1177







L1402

# Receptacle & Urn Mounts

## *Pole Mount Ash/Trash Receptacle.*

- Ideal for when container needs to be off the ground or space is limited.
- Includes rigid, reusable plastic bucket liner with handle for easy emptying.

This five gallon plastisol coated ash/trash receptacle is uniquely designed with a high-density polyethylene vacuum formed plastic 11" diameter ash top. A generous supply of Black Beauty sand substitute is included for the ashtray. The receptacle body is constructed from plastisol coated expanded or slotted metal. Use your own mounting hardware or purchase the optional pole mounting hardware kit (pole not included).

*See page 28 for available TopCoat® colors.*

## **Pole Mount Ash/Trash Receptacles**

L1402	Slotted Metal	24¾"H x 14½"Dia. • 35 lbs
F1381	Expanded Metal	24¾"H x 14½"Dia. • 35 lbs
F1410	Pole Mount Kit (Pole not included)	3 lbs

## *Quickly and easily secure your receptacles.*

Fusion's Corkscrew Anchor screws more than a foot into the ground. Help reduce waste accumulation on highways with the 45° Angle Roadside Mounts. Placed at an intersection or at the end of a fast food drive, these mounts will turn the receptacle conveniently towards the user. Receptacle can be bolted down through the base or choose the optional Traditional surface mount kit (bolts to existing surface) or the inground kit (mounts into concrete) which raises the receptacle approximately 5" off the ground. Mounting hardware is not included due to the large variety of mounting surfaces.



A1020

## **Mounting Kits**

F1094*	Traditional Inground Mount	26¾"H Post • 9 lbs
F1098	Traditional Surface Mount	5½"H Post; 8"Sq. Surface Plate • 9 lbs
F1407*	45° Roadside Inground Mount	44"H Post • 15 lbs
F1406	45° Roadside Surface Mount	21"H Post; 8"Sq. Surface Plate • 12 lbs
A1020*	Corkscrew Anchor	13¾"H x 9½"W • 2 lbs

\* Height will vary based on installation depth.



F1094



# Bike Racks


## High Style

*High style bike racks in a great modern design.*


- 4 Sizes, 3 Finishes and 2 mounting styles.
- Continuous loop holds a bike inside the loop and a bike on each end.
- A single loop holds three bikes.
- Heavy-duty 2½" O.D. steel pipe.
- Stands up to years of use and still looks great.

Available in sizes to accommodate 3, 5, 7 and 9 bikes. Available in powder coated, plastisol coated or galvanized finishes. Patented TopCoat® finish provides the ultimate TLC for both the bike and the rack. Plastisol coating of 93 mils receives a high-gloss TopCoat finish making the surface impervious to the harshest environmental conditions. Racks are 36" tall. For permanent inground placement, racks have legs that are an additional 10" long. For surface mounting, racks come with a factory-welded flange on each end. Mounting hardware is not included.

*See page 28 for available TopCoat colors.*



**LBR3PING**



### Surface Mount

LBR3PSURF*	3-Bike Capacity, Powder Coat Finish	34 lbs
LBR3PVCSURF*	3-Bike Capacity, Plastisol Coat Finish	45 lbs
LBR5PSURF	5-Bike Capacity, Powder Coat Finish	58 lbs
LBR5PVCSURF	5-Bike Capacity, Plastisol Coat Finish	74 lbs
LBR7PSURF	7-Bike Capacity, Powder Coat Finish	80 lbs
LBR7PVCSURF	7-Bike Capacity, Plastisol Coat Finish	101 lbs
LBR9PSURF	9-Bike Capacity, Powder Coat Finish	103 lbs
LBR9PVCSURF	9-Bike Capacity, Plastisol Coat Finish	130 lbs

### Inground Mount

LBR3PING*	3-Bike Capacity, Powder Coat Finish	35 lbs
LBR3PVCING*	3-Bike Capacity, Plastisol Coat Finish	45 lbs
LBR3GING*	3-Bike Capacity, Galvanized Finish	35 lbs
LBR5PING	5-Bike Capacity, Powder Coat Finish	58 lbs
LBR5PVCING	5-Bike Capacity, Plastisol Coat Finish	74 lbs
LBR5GING	5-Bike Capacity, Galvanized Finish	58 lbs
LBR7PING	7-Bike Capacity, Powder Coat Finish	80 lbs
LBR7PVCING	7-Bike Capacity, Plastisol Coat Finish	101 lbs
LBR7GING	7-Bike Capacity, Galvanized Finish	80 lbs
LBR9PING	9-Bike Capacity, Powder Coat Finish	105 lbs
LBR9PVCING	9-Bike Capacity, Plastisol Coat Finish	135 lbs

\* Only the single loop model will ship UPS. Truck freight on small orders can be high.



# Bike Racks

## Specialty

### Single Sentinel Two-Bike Rack


- A single rack secures 2 bikes in a small area.
- Combine several racks to hold an unlimited number of bikes.
- Allows pedestrian traffic through them when they are not securing bikes.

Racks are provided as an inground style with a 10" extension that will secure into concrete or a surface mount for bolting to any surface (mounting hardware not included.) Both racks are 32½" tall when installed.

See page 28 for available TopCoat colors.



BRPVC202



BRPVC202



BRPVC203

### Rectangular Loop

BRPVC201	Inground	32½"H x 10"W • 20 lbs
BRPVC203	Surface	32½"H x 10"W • 18 lbs

### Round Loop

BRPVC200	Inground	32½"H x 16"W • 20 lbs
BRPVC202	Surface	32½"H x 16"W • 18 lbs

Height on inground mount will vary based on installation depth.

### Stylish and stable bike rack is an attractive complement to your site.

- 8-bike capacity with entry from either side.
- Frame supports the whole bike, making it easy to safely lock the bike frame to the rack.
- Hourglass bike rack can be left as portable or use the predrilled holes to surface mount for additional stability.

Available in a colorful powder coat finish or plastisol coated with our patented high-gloss TopCoat finish. UV inhibitors in both finishes assure the vibrant colors are there to stay. Assembly required.

See page 28 for available TopCoat colors.



BRPVC106

### Hourglass Bike Racks

	BRPVC106	Portable/Surface Mount, 8-Bike Capacity, Plastisol Finish	34½"H x 42"W x 77"L • 210 lbs
<b>NEW</b>	BRPVC106E	Portable/Surface Mount, 16-Bike Capacity, Plastisol Finish	34½"H x 42"W x 152½"L • 381 lbs
	BRP106	Portable/Surface Mount, 8-Bike Capacity, Powder Coat Finish	34¾"H x 41¾"W x 76¾"L • 172 lbs
<b>NEW</b>	BRP106E	Portable/Surface Mount, 16-Bike Capacity, Powder Coat Finish	34¾"H x 41¾"W x 152¾"L • 312 lbs



# Bike Racks

## Hoops 'n Loops

*Combine bike rack styles to create your own extended bike rack.*

- Unique shapes and outstanding quality.
- Constructed of heavy-duty 2 $\frac{3}{8}$ " O.D. 10-gauge galvanized steel tubing.
- $\frac{1}{2}$ " O.D. rods welded at 7" intervals accept all bike hub widths.

Racks are coated with FusionGuard® to protect against weather's worst and followed by a rust-resistant colorful powder coat finish. Rack ends and inner hoops and loops can be the same color or choose a complementary color for your ends. Single rounded hoop design fully captures the bicycle tire for optimal support of the bicycle. The single rounded hoop design racks will hold eight bikes with entry from either side. Horizontal legs can be left as portable or use the predrilled tabs to surface mount for additional stability. Vertical legs come complete with a factory-welded flange at the end of each leg for surface mounting or 10" longer legs for permanent inground placement in concrete. Mounting hardware not included. Assembly required.

*See page 28 for available TopCoat® colors.*



BRPSURF105



# Bike Racks

## Hoops 'n Loops



*BRP101*



*BRP101*

### Rounded Hoop Racks — Horizontal Leg

BRP101	Single Round Hoop, 8-Bike Capacity, Powder Coat Finish
<b>NEW</b> BRP101E	Single Round Hoop, 16-Bike Capacity, Powder Coat Finish

18 $\frac{3}{4}$ "H x 31"W x 76 $\frac{1}{2}$ "L • 117 lbs
18 $\frac{3}{4}$ "H x 31"W x 152 $\frac{1}{2}$ "L • 217 lbs

### Rounded Hoop Racks — Vertical Leg

BRPSURF105	Surface Mount, 8-Bike Capacity, Powder Coat Finish
BRPING105	Inground, 8-Bike Capacity, Powder Coat Finish

37 $\frac{1}{4}$ "H x 23"W x 75"L • 155 lbs
47 $\frac{1}{4}$ "H x 20 $\frac{1}{2}$ "W x 72 $\frac{1}{2}$ "L • 155 lbs

Height on inground mount will vary based on installation depth.



# Bike Racks

## Triangular Loop

### *Support for the entire bike.*

- Unique shapes and outstanding quality.
- Constructed of heavy-duty 2 $\frac{3}{8}$ " O.D. 10-gauge galvanized steel tubing.
- $\frac{1}{2}$ " O.D. rods welded at 7" intervals to accept all bike hub widths.

Racks are coated with Fusion's innovative FusionGuard® process to protect against weather's worst and followed by a rust-resistant colorful powder coat finish. Rack ends and inner loops can be the same color or choose a complementary color for your ends. Triangle loop designs fully capture the bicycle tire for optimal support of the bicycles and holds eight bikes with entry from either side. Horizontal legs can be left as portable or use the predrilled tabs to surface mount for additional stability. Vertical legs come complete with a factory-welded flange at the end of each leg for surface mounting or 10" longer legs for permanent inground placement in concrete. Mounting hardware not included. Assembly required.

*See page 28 for available TopCoat® colors.*



*BRPING104*



*BRP102*



# Bike Racks

## Triangular Loop

### Triangle Loop Racks — Horizontal Leg

<b>NEW</b> BRP102	Surface Mount, 8-Bike Capacity, Powder Coat Finish
BRP102E	Surface Mount, 16-Bike Capacity, Powder Coat Finish

22"H x 31"W x 76¾"L • 117 lbs

22"H x 31"W x 152½"L • 217 lbs

### Triangle Loop Racks — Vertical Leg

BRPSURF104	Surface Mount, 8-Bike Capacity, Powder Coat Finish
BRPING104	Inground Mount, 8-Bike Capacity, Powder Coat Finish

37¾"H x 23"W x 75"L • 146 lbs

47¾"H x 20½"W x 72½"L • 146 lbs

Height on inground mount will vary based on installation depth.

- Rainbow of colors.
- Mix colors for a variety of looks.
- Long-lasting UV-protected finish.





# Traditional Bike Racks



BRP302

*Classic Traditional Bike Rack features single and double side capacity.*

- 7-bike single side capacity; 14-bike double side capacity.
- Rust-resistant powder coat finish.
- FusionGuard® protected.

Highly stable design features predrilled mounting tabs for security.

*See page 28 for available TopCoat® colors.*

## Traditional Bike Racks

BRP300	Single Side, 7-Bike Capacity, Powder Coat Finish	34 $\frac{1}{8}$ "H x 27 $\frac{3}{4}$ "W x 76 $\frac{3}{4}$ "L • 120 lbs
<b>NEW</b> BRP300E	Single Side, 14-Bike Capacity, Powder Coat Finish	34 $\frac{1}{8}$ "H x 27 $\frac{3}{4}$ "W x 152 $\frac{1}{2}$ "L • 220 lbs
BRP302	Double Side, 14-Bike Capacity, Powder Coat Finish	34 $\frac{1}{8}$ "H x 41 $\frac{1}{4}$ "W x 76 $\frac{3}{4}$ "L • 146 lbs
<b>NEW</b> BRP302E	Double Side, 28-Bike Capacity, Powder Coat Finish	34 $\frac{1}{8}$ "H x 41 $\frac{1}{4}$ "W x 152 $\frac{1}{2}$ "L • 272 lbs
BRPVC302	Double Side, 14-Bike Capacity, Plastisol Coat Finish	34 $\frac{1}{8}$ "H x 41 $\frac{1}{4}$ "W x 76 $\frac{3}{4}$ "L • 178 lbs
<b>NEW</b> BRPVC302E	Double Side, 28-Bike Capacity, Plastisol Coat Finish	34 $\frac{1}{8}$ "H x 41 $\frac{1}{4}$ "W x 152 $\frac{1}{2}$ "L • 332 lbs



BRP300



# Wall-Mount & Euro Bike Racks



*Stylish bike rack saves space and looks great.*

- 8-bike capacity.
- Move around the single support design.
- Rust-resistant powder coat finish.
- FusionGuard protected.

Functional as well as decorative, this rack economically uses little space while still providing room for parking bicycles. All-welded steel bike rack occupies less than 14" when empty. Available in surface mount or inground mount for use in a poured concrete foundation.

*See page 28 for available TopCoat colors.*

## Euro Bike Racks

F1201	Surface Mount	27 lbs
F1178	Inground	35 lbs

*Wall-Mount Bike Rack saves space.*

- Single bike design.
- Rust-resistant powder coat finish.
- FusionGuard protected.

Heavy-duty steel rack simply bolts to the side of any building or school to provide a secure place to park bicycles.

*See page 28 for available TopCoat colors.*

## Wall-Mount Bike Rack

BRP204 32½"H x 5"W x 10"D • 17 lbs





# Golf Furnishings

*Fusion's Golf Bag Benches and Rests are built to withstand the elements and still look great!*

Golf bag rests keep golfing venues organized and free of bags that can clutter high-traffic areas. Rests are available in single side or double side and hold up to eight or 16 bags respectively. Combination bag rest/bench serves double-duty. The bag rests and bench feature a heavy-duty 2½" O.D. steel frame. The single bag rest is made from 1" O.D. steel pipe. Remember... all golf equipment has the same great coating as our other products. Assembly required.

*See page 28 for available TopCoat® colors.*



**G1004**

## Bag Rests & Benches

G1006	Single Bag Holder • 1 Bag • 10 lbs
G1003	6' Single Side Rest • 6 Bags • 145 lbs
G1002	8' Single Side Rest • 8 Bags • 165 lbs
G1001	6' Double Side Rest • 12 Bags • 225 lbs
G1000	8' Double Side Rest • 16 Bags • 265 lbs
G1005	6' Bag Rest/Bench • 6 Bags • 240 lbs
G1004	8' Bag Rest/Bench • 8 Bags • 300 lbs




**G1001**



**G1006**



# Golf Furnishings



*G1007-2 and G1009*

## *Driving Range Dividers*

Range divider has a square plate on each leg that may be bolted down (hardware not included). An optional bag rest attachment is available.

*See page 28 for available TopCoat colors.*

## Range Dividers

G1007-2	Driving Range Divider • 50 lbs
G1009	Optional Bag Rest • 5 lbs



*G1007-2*



*G1002*





4356 Duncan Avenue  
St. Louis, MO 63110-1110  
314-652-8622 • Fax: 314-652-3788  
Email: [service@fusioncoatings.com](mailto:service@fusioncoatings.com)

**800-367-9638**  
**[www.fusioncoatings.com](http://www.fusioncoatings.com)**



65M1206

Distributed By: