

Rain Drop[®]
Products LLC

INNOVATIVE
WATER PLAY
SINCE 1982



WATER PLAY INNOVATION

RAIN DROP transforms imagination into new dimensions in water play with dynamic custom-designed water parks that deliver adventure, visual excitement and imaginative fun. Whether starting with an architectural concept or a themed design, Rain Drop makes your new water play destination come to life.

RAIN DROP MAKES DOING BUSINESS TOGETHER EASY:

- Expertise in creating exciting water parks within a wide range of budgets
- The ability to work seamlessly with designers, architects, developers and other collaborators to achieve optimum results
- Dedicated, responsive customer service
- High-quality workmanship and materials
- Engineered installation methods that save time and money
- State-of-the-art control systems

WHY WE USE FIBERGLASS

Rain Drop features are made from fiberglass for some very tough reasons.

- Fiberglass is lightweight, durable and exceptionally strong
- Smooth surface finish allows for automotive-grade aesthetics
- Versatility in molding custom shapes
- Highly resistant to extreme environments including heat, cold, ultraviolet light, salt and chemicals
- Non-corrosive, chemically inert properties give fiberglass a longer life expectancy than metal
- Fiberglass is non-conductive
- Structural stability means that Rain Drop spray features and custom molded features will be around for years of dependable fun!



TABLE OF CONTENTS

GALLERY

PG

Recent Installations	4 - 9
Climbable Structures	10
Slides	11
Creature Features	12
Mystical Fun	13
Above Ground Features	14
Below Ground Features	15

DESIGN SERVICES & CONTROL SYSTEMS

PG

Design Support Services	16
Rain Brain Control Systems	17

PRODUCTS & SPECIFICATIONS

PG

Below Ground Features	
Standard	18 - 21
Rings	21
Tunnels	22
Clusters	22 - 23
Above Ground Features	
Standard	24 - 31
Domes	31 - 32
Hoops	32 - 33
Creature Features	33 - 35
Animals	35 - 37
Plants & Trees	37 - 39
Nautical	40 - 42
Transportation	42 - 43
Sports	44 - 45
Musical	46 - 47
Themed	47 - 48
Lazy River	49
Structures	
Rain Series	50
Shower Series	51
Storm Series	52
Monsoon Series	52 - 54
Typhoon Series	54
Slides	55 - 56
Water Management	
Recirculating & Filtration Systems	57
Activators	57 - 58
Manifold, Reservoir, Skid Mount	58 - 59

PRODUCT FEATURES & COMPANY INFO

PG

OMNIPOD Interface	60
Color Palette	61
Product Warranty	62
Questionnaire	63



GALLERY

This SprayGround installation offers the best of both worlds - our eye-catching Rain Plane and widely popular Shower 1-101 structure for children to climb and slide.

RAIN PLANE

One of our most popular structures features spinning propellers and lights.

SLIDES

This structure has an attached Arch Jet that leads to a set of two attached water slides. Fun for everyone!

COOLTAILS

This above ground feature offers a refreshing spray that's also fun for the younger children.

GALLERY

Children of all ages can take advantage of the fitness and health benefits that spray play provides. The SprayGround space offers both below ground features for younger children and interactive above ground features for older kids.



TRIO OF FUN

This interactive feature allows children of all ages to control the amount of wet they get.



WATER FUN CANNONS

Battle on! Water fun cannons offer exciting interactive play.



BELOW GROUND FEATURES

Children ages 2 and under can enjoy SprayGrounds too! Below ground features offer a safe and fun environment.



CIRCLE TIME

This below ground feature promotes healthy play as children run through the sprays of water.

GALLERY

From innovative design and quality craftsmanship to computer-controlled water management systems and installation training, Rain Drop is your single source for new or expanded water play investments.

WATER FUN CANNONS

The newly redesigned water fun cannons provide hours of water soaked fun!



PALM TREE ROYALE

This fun feature allows kids imaginations to run wild.



CROCODILE STEVE (CREATURE FEATURE)

One of the most popular features of our creature feature line.



OLD SALTY (CREATURE FEATURE)

This animal feature allows all children to interact with the water and even control the amount of spray!



CLIMBABLE STRUCTURES

Climbing is a fun, healthy activity and children love it! In addition to standard Rain Drop climbable products, customized structures can be developed to fit your specific design or theme.



FITNESS FACTOR

"Climbability" adds to the adventure with large-muscle exercise that ramps-up play value.



SLIDES

GRAVITATIONAL PULL

Kids are drawn to slides! From tower structures with open or closed flumes to themed slides, Rain Drop can supply every feature for your water park project!



CREATURE FEATURES



Add some big personality to your SprayGround with creature features. These characters come to life on the SprayGround and are a great way to integrate theme ideas.



Rain Drop's misting features are an exciting way to have water fun and stay cool! Nearly all of our above ground features can be fitted with misting nozzles and can be movable or installed permanently. For water-to-waste applications, misting provides a low-consumption option at about twelve gallons of water per nozzle per hour.

MYSTICAL FUN



COOL IT DOWN

The evaporation process produced by misters removes the heat in the air lowering temperatures by up to 25° F.



ABOVE GROUND FEATURES



INTERACTIVITY

Features like our Pipe Falls Play Center with its valve and directable spouts get kids using their minds as well as their bodies.



Kids love Rain Drop's fun, exciting, interactive above ground waterspray features. All are constructed from fiberglass, the material-of-choice in the aquatics industry for a number of reasons:

- All-weather durability
- Light weight
- Structural stability
- High-quality surface finish
- Non-conductive
- Non-corrosive
- Highly resistant to environmental extremes



JET SET

Rain Drop below ground features make water dance in patterns from jets to geysers and shapes from rings to tunnels!



BELOW GROUND FEATURES

DESIGN SUPPORT SERVICES

Rain Drop offers complete Design Support Services. Finished still and animated renderings allow all stakeholders to visualize your project at approval stages.




The same creativity and imagination that goes into developing water entertainment products at Rain Drop is available for planning the layout of your facility. Rain Drop does not take the place of your

architect in project development, but we can assist the process by offering recommendations for the layout of feature arrangements that will best serve your needs.

Rain Drop starts with an assessment of your vision as well as your budget. We can also organize and specify the layout of water supply and return lines that will work best.



Fully Animated Renderings



Project 0511-34895
Union St. Ashland, OH 44805 • 419.207.1229 • www.rain-drop.com

RAIN BRAIN – THE SPRAYGROUND CONTROL SYSTEM WITH REMOTE ACCESSIBILITY

CONTROL SYSTEMS

Sustainable SprayGround Design

Using Variable Frequency Drive technology, the RainBrain interacts with the individual features of a SprayGround to keep energy/water demands in direct correlation to the number of active participants.

More Features Per Feature

The RainBrain takes advantage of Proportional Valve Technology to allow

for variable output flows providing an unlimited variation of spray patterns from a single feature.

Preventive Maintenance Interactivity

The RainBrain can be programmed to alert maintenance technicians via email or text message upon a predetermined sequence of events.

Virtually Unlimited Input/Output Control Capacity

The controller's ability to command over 3,400 controllable units provides limitless design alternatives including the ability to integrate lights and sounds into your SprayGround design.



Rain Brain

Communicate & Control Via Web, Email, Text Message



Remote Accessibility



Using a Smartphone, Tablet, PC or Mac a user can communicate with the RainBrain to monitor, update or troubleshoot the SprayGround.

BELOW GROUND FEATURES

STANDARD



FAN JET	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	Flow: 9 GPM	N/A
Dimensions L: 71/2" W: 71/2" H: 5"	Area of Influence 6' Diameter	OMNIPOD Yes



FOAM GEYSER	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	N/A	N/A
Dimensions L: 2' W: 2' H: 2'6"	Area of Influence 6' Diameter	OMNIPOD No



FOG JET	LOW FLOW	MYSTICAL FUN
Flow: 10 GPM	N/A	N/A
Dimensions L: 71/2" W: 71/2" H: 5"	Area of Influence 6' Diameter	OMNIPOD Yes



MINI FOAM GEYSER	LOW FLOW	MYSTICAL FUN
Flow: 5 GPM	N/A	N/A
Dimensions L: 71/2" W: 71/2" H: 5"	Area of Influence 5' Diameter	OMNIPOD Yes



MINI POPKORN JET	LOW FLOW	MYSTICAL FUN
Flow: 14 GPM	Flow: 2.3 GPM	N/A
Dimensions L: 71/2" W: 71/2" H: 51/4"	Area of Influence 3' Diameter	OMNIPOD Yes

STANDARD



MYSTICAL FUN EMBED	LOW FLOW	MYSTICAL FUN
N/A	N/A	Flow: 0.19 GPM
Dimensions L: 71/2" W: 71/2" H: 51/4"	Area of Influence 5' Diameter	OMNIPOD Yes



LAMINAR JET	LOW FLOW	MYSTICAL FUN
Flow: 10 GPM	N/A	N/A
Dimensions L: 81/2" W: 71/2" H: 5"	Area of Influence 8' x 5'	OMNIPOD No



POP JETS	LOW FLOW	MYSTICAL FUN
Flow: 75 GPM	Flow: 35 GPM	N/A
Dimensions L: 5'2" W: 31/2" H: 61/2"	Area of Influence 8' x 5'	OMNIPOD No



POP JETS - (CURVED)	LOW FLOW	MYSTICAL FUN
Flow: 75 GPM	Flow: 35 GPM	N/A
Dimensions L: 4'11" W: 1' H: 61/2"	Area of Influence 8' x 7'	OMNIPOD No



POPKORN JET	LOW FLOW	MYSTICAL FUN
Flow: 28 GPM	Flow: 5.4 GPM	N/A
Dimensions L: 81/2" W: 71/2" H: 5"	Area of Influence 3' Diameter	OMNIPOD Yes

BELOW GROUND FEATURES

STANDARD




SLANT FINGER JET	LOW FLOW	MYSTICAL FUN
Flow: 11 GPM	N/A	N/A
Dimensions L: 81/2" W: 71/2" H: 5"	Area of Influence 6' Spray	OMNIPOD Yes



SLANT JET	LOW FLOW	MYSTICAL FUN
Flow: 5 GPM	Flow: 1.2 GPM	N/A
Dimensions L: 81/2" W: 71/2" H: 51/4"	Area of Influence 8' x 5'	OMNIPOD Yes



STAR JET	LOW FLOW	MYSTICAL FUN
Flow: 43 GPM	Flow: 21.5 GPM	N/A
Dimensions L: 81/2" W: 113/4" H: 81/4"	Area of Influence 6' Diameter	OMNIPOD No



TALL TOOLIP SPRAY	LOW FLOW	MYSTICAL FUN
Flow: 20 GPM	N/A	N/A
Dimensions L: 81/2" W: 81/2" H: 5"	Area of Influence 4' Diameter	OMNIPOD Yes



TINY TOOLIP SPRAY	LOW FLOW	MYSTICAL FUN
Flow: 10 GPM	N/A	N/A
Dimensions L: 81/2" W: 81/2" H: 5"	Area of Influence 3' Diameter	OMNIPOD Yes


UPSTREAM JET	LOW FLOW	MYSTICAL FUN
Flow: 9 GPM	Flow: 2.3 GPM	N/A
Dimensions L: 81/2" W: 71/2" H: 51/4"	Area of Influence 2' Diameter	OMNIPOD Yes




WALL WAVE JET	LOW FLOW	MYSTICAL FUN
Flow: 20 GPM	N/A	N/A
Dimensions L: 81/4" W: 71/2" H: 51/4"	Area of Influence 8' x 5'	OMNIPOD No



CIRCLE TIME	LOW FLOW	MYSTICAL FUN
Flow: 55 GPM	Flow: 28.8 GPM	N/A
Dimensions L: 3'11" W: 3'11" H: 61/2"	Area of Influence 8' Diameter	OMNIPOD No



GIANT CIRCLE TIME	LOW FLOW	MYSTICAL FUN
Flow: 75 GPM	Flow: 18 GPM	N/A
Dimensions L: 16' W: 16' H: 61/2"	Area of Influence 20' Diameter	OMNIPOD No



MINI SPRAY RING	LOW FLOW	MYSTICAL FUN
Flow: 25 GPM	Flow: 14.4 GPM	N/A
Dimensions L: 81/2" W: 1'11" H: 61/2"	Area of Influence 6' Diameter	OMNIPOD No



STANDARD

RINGS

BELOW GROUND FEATURES


TUNNELS




MINI SHOWER TUNNEL	LOW FLOW	MYSTICAL FUN
Flow: 25 GPM	Flow: 6 GPM	N/A
Dimensions L: 8' W: 6'2" H: 6 1/2"	Area of Influence 8' x 6'	OMNIPOD No




SHOWER TUNNEL	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 12 GPM	N/A
Dimensions L: 8' W: 11' H: 6 1/2"	Area of Influence 8' x 10'	OMNIPOD No



TUNNEL ARCH	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: 7.2 GPM	N/A
Dimensions L: 8'6" W: 1'4" H: 6 1/2"	Area of Influence 8' x 6'	OMNIPOD No



FLOWER POWER	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	N/A	N/A
Dimensions L: 3'6" W: 2'3" H: 5"	Area of Influence 6' Diameter	OMNIPOD No




RAIN MAZE	LOW FLOW	MYSTICAL FUN
Flow: 1000 GPM	N/A	N/A
Dimensions L: 50' W: 50' H: 5'	Area of Influence 60' x 60'	OMNIPOD No


CLUSTERS



SHOWER POWER	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	N/A	N/A
Dimensions L: 3'6" W: 2'3" H: 5"	Area of Influence 6' Diameter	OMNIPOD No



SPRAY BRIGADE	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: N/A	N/A
Dimensions L: 9'3" W: 3'7" H: 2'6"	Area of Influence 10' x 14'	OMNIPOD No



SPRAY SQUADRON	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	N/A	N/A
Dimensions L: 3'11" W: 3'11" H: 2'6"	Area of Influence 10' Diameter	OMNIPOD No



TOWER POWER	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	N/A	N/A
Dimensions L: 3'6" W: 2'3" H: 5"	Area of Influence 6' Diameter	OMNIPOD No



ABOVE GROUND FEATURES

STANDARD



BELLE SHOWER	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	N/A	N/A
Dimensions L: 65/8" x W: 65/8" x H: 4'	Area of Influence 13' Diameter	OMNIPOD Yes



BELLE SPRAY JET	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	N/A	N/A
Dimensions L: 65/8" x W: 65/8" x H: 3'6"	Area of Influence 5' Diameter	OMNIPOD Yes




BELLE TOWER	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	N/A	N/A
Dimensions L: 65/8" x W: 65/8" x H: 9'10"	Area of Influence 8' Diameter	OMNIPOD Yes



BUBBLE UP	LOW FLOW	MYSTICAL FUN
Flow: 8 GPM	N/A	N/A
Dimensions L: 261/4" W: 261/4" H: 111/2"	Area of Influence 6' Spray	OMNIPOD No



COOL BENCH	LOW FLOW	MYSTICAL FUN
Flow: 10 GPM	N/A	Flow: 1.14 GPM
Dimensions L: 4'5" W: 2'5" H: 3'	Area of Influence 6' x 6'	OMNIPOD Yes



CROSS BAR JET 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 25 GPM	Flow: 1.14 GPM
Dimensions L: 5'6" W: 65/8" H: 4'4"	Area of Influence 11' x 6'	OMNIPOD Yes



DOWNSPOUT 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 14 GPM	Flow: 3 GPM	Flow: 0.19 GPM
Dimensions L: 3' W: 65/8" H: 9'	Area of Influence 9' x 6'	OMNIPOD Yes



DROP JET 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 25 GPM	Flow: 1.14 GPM
Dimensions L: 7' W: 65/8" H: 8'10"	Area of Influence 9' x 5'	OMNIPOD Yes



DUMPING BUCKET WITH ROOF	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	N/A	N/A
Dimensions L: 6' W: 6' H: 20'	Area of Influence 24' x 22'	OMNIPOD Yes



DUMPING TROUGH	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	N/A	N/A
Dimensions L: 6' W: 11" H: 11'11"	Area of Influence 7' x 10'	OMNIPOD Yes

* 6N designated products have no interactive FunFlow valve. 6V designated products have a valve for interactive play.


ABOVE GROUND FEATURES

STANDARD



DUMPING WHEEL	LOW FLOW	MYSTICAL FUN
Flow: 20 GPM	Flow: N/A	Flow: N/A
Dimensions L: 3' W: 1'6" H: 12'2"	Area of Influence 8' Diameter	OMNIPOD Yes

RALLY ROUND THE FLAG	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	Flow: 11.5 GPM	Flow: N/A
Dimensions L: 5' W: 5' H: 8'11"	Area of Influence 10' Diameter	OMNIPOD No




LEMON DROP	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	Flow: 9 GPM	Flow: 0.38 GPM
Dimensions L: 8" W: 8" H: 4"	Area of Influence 4' Spray	OMNIPOD No

SHEET FLO CURTAIN 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: N/A	Flow: N/A
Dimensions L: 7'3" W: 65/8" H: 8'10"	Area of Influence 9' x 5'	OMNIPOD Yes



MISTING STICK	LOW FLOW	MYSTICAL FUN
Flow: N/A	Flow: N/A	Flow: 0.19 GPM
Dimensions L: 65/8" W: 65/8" H: 4'	Area of Influence 3' Diameter	OMNIPOD Yes

SHOWER TOWER 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 8 GPM	Flow: N/A	Flow: N/A
Dimensions L: 65/8" W: 65/8" H: 8'2"	Area of Influence 8' Diameter	OMNIPOD Yes




PIPE SHOWER 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: N/A	Flow: N/A
Dimensions L: 6'10" W: 65/8" H: 8'9"	Area of Influence 12' Diameter	OMNIPOD Yes

SOZZLE 3	LOW FLOW	MYSTICAL FUN
Flow: 240 GPM	Flow: N/A	Flow: N/A
Dimensions L: 8'6" W: 4'6" H: 12'	Area of Influence 20' x 10' Diameter	OMNIPOD No



PIPE FALLS PLAY CENTER	LOW FLOW	MYSTICAL FUN
Flow: 20 GPM	Flow: N/A	Flow: N/A
Dimensions L: 13'5" W: 8'5" H: 6'9"	Area of Influence 13'5" x 8'5"	OMNIPOD Yes


SPRAY FINGERS	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: N/A	Flow: N/A
Dimensions L: 2'2" W: 2'2" H: 6'	Area of Influence 14' Diameter	OMNIPOD Yes



* 6N designated products have no interactive FunFlow valve. 6V designated products have a valve for interactive play.

ABOVE GROUND FEATURES

STANDARD




STAR BURST	LOW FLOW	MYSTICAL FUN
Flow: 400 GPM	N/A	N/A
Dimensions L: 14'7" W: 14'7" H: 14'7"	Area of Influence 20' Diameter	OMNIPOD No



STORM SPINNER 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	N/A	N/A
Dimensions L: 5'6" W: 65/8" H: 10'7"	Area of Influence 10' Diameter	OMNIPOD Yes



STORM SPINNER DOUBLE 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	N/A	N/A
Dimensions L: 5'6" W: 65/8" H: 12'	Area of Influence 10' Diameter	OMNIPOD Yes



TOOLIP JET 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 30 GPM	N/A
Dimensions L: 65/8" W: 65/8" H: 8'2"	Area of Influence 8' Diameter	OMNIPOD Yes



TOOLIP SHOWER 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 60 GPM	Flow: 30 GPM	N/A
Dimensions L: 6' W: 6' H: 9'7"	Area of Influence 12' Diameter	OMNIPOD Yes



TRIO OF FUN	LOW FLOW	MYSTICAL FUN
Flow: 190 GPM	N/A	N/A
Dimensions L: 7'4" W: 7'4" H: 8'9"	Area of Influence 20' Diameter	OMNIPOD No



T-SERIES CROSS BAR JET 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 25 GPM	Flow: 1.14 GPM
Dimensions L: 6'6" W: 2' H: 8'9"	Area of Influence 11' x 6'	OMNIPOD Yes



T-SERIES DUMP N' SPRAY 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	N/A	N/A
Dimensions L: 6'6" W: 2' H: 8'9"	Area of Influence 14' x 6'	OMNIPOD Yes



T-SERIES SHEET FLO 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	N/A	N/A
Dimensions L: 6'6" W: 2' H: 8'9"	Area of Influence 11' x 6'	OMNIPOD Yes



TUMBLE BUCKET PLAY CENTER	LOW FLOW	MYSTICAL FUN
Flow: 58 GPM	Flow: 30 GPM	N/A
Dimensions L: 7' W: 7' H: 13'9"	Area of Influence 12' Diameter	OMNIPOD Yes

ABOVE GROUND FEATURES

STANDARD

STANDARD



TUMBLE BUCKETS 3 BUCKET SHORT MAST	LOW FLOW	MYSTICAL FUN
Flow: 54 GPM	Flow: 30 GPM	N/A
Dimensions L: 10' W: 10' H: 14'6"	Area of Influence 16' Diameter	OMNIPOD Yes



WATER FUN CANNON	LOW FLOW	MYSTICAL FUN
Flow: 2.5 GPM	N/A	N/A
Dimensions L: 2'3" W: 6'5/8" H: 3'8"	Area of Influence 10' x 5'	OMNIPOD Yes




TUMBLE BUCKETS THREE BUCKETS	LOW FLOW	MYSTICAL FUN
Flow: 54 GPM	Flow: 30 GPM	N/A
Dimensions L: 10' W: 10' H: 19'6"	Area of Influence 16' Diameter	OMNIPOD Yes



DEW DROP	LOW FLOW	MYSTICAL FUN
Flow: 200 GPM	N/A	Flow: 3.04 GPM
Dimensions L: 5' W: 5' H: 8'	Area of Influence 10' Diameter	OMNIPOD Yes



TUMBLE BUCKETS 5 BUCKET SHORT MAST	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: 50 GPM	N/A
Dimensions L: 10' W: 10' H: 14'6"	Area of Influence 16' Diameter	OMNIPOD Yes



DRIZZLE DROP	LOW FLOW	MYSTICAL FUN
Flow: 14 GPM	Flow: 2.3 GPM	N/A
Dimensions L: 3' W: 3' H: 8'6"	Area of Influence 6' Diameter	OMNIPOD Yes



TUMBLE BUCKETS FIVE BUCKETS	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: 50 GPM	N/A
Dimensions L: 10' W: 10' H: 19'6"	Area of Influence 16' Diameter	OMNIPOD Yes



JUMPIN' JUNIORS	LOW FLOW	MYSTICAL FUN
N/A	N/A	N/A
Dimensions L: 7'6" W: 7'6" H: 10'3"	Area of Influence 12' Diameter	OMNIPOD No



TUMBLING BUCKET	LOW FLOW	MYSTICAL FUN
Flow: 20 GPM	Flow: 10 GPM	N/A
Dimensions L: 3'10" W: 3'10" H: 16'6"	Area of Influence 8' Diameter	OMNIPOD Yes



RAIN DROP	LOW FLOW	MYSTICAL FUN
Flow: 350 GPM	N/A	Flow: 4.56 GPM
Dimensions L: 7'6" W: 7'6" H: 10'3"	Area of Influence 12' Diameter	OMNIPOD No

DOMES

ABOVE GROUND FEATURES

DOMES




RAIN SPOUT	LOW FLOW	MYSTICAL FUN
Flow: 350 GPM	Flow: N/A	Flow: N/A
Dimensions L: 7'6" W: 7'6" H: 10'3"	Area of Influence 12' Diameter	OMNIPOD No

RAIN TUNNEL	LOW FLOW	MYSTICAL FUN
Flow: 290 GPM	Flow: 50 GPM	Flow: 11.6 GPM
Dimensions L: 13' W: 4'6" H: 7'	Area of Influence 16' x 10'	OMNIPOD No



HOOPS



TEE UP	LOW FLOW	MYSTICAL FUN
Flow: 350 GPM	Flow: N/A	Flow: N/A
Dimensions L: 7'6" W: 7'6" H: 10'	Area of Influence 16' Diameter	OMNIPOD No

SUPER SOAKER	LOW FLOW	MYSTICAL FUN
Flow: 32 GPM	Flow: 5 GPM	Flow: 1.52 GPM
Dimensions L: 6' W: 65/8" H: 8'6"	Area of Influence 6' x 2'	OMNIPOD Yes



HOOPS



AQUA HOOP	LOW FLOW	MYSTICAL FUN
Flow: 12 GPM	Flow: 1.9 GPM	Flow: 1.9 GPM
Dimensions L: 6'6" W: 65/8" H: 5'11"	Area of Influence 6' x 3'	OMNIPOD Yes

TRIPLE ARCH RAIN STORM	LOW FLOW	MYSTICAL FUN
Flow: 205 GPM	Flow: 40 GPM	Flow: 9.5 GPM
Dimensions L: 11' W: 3' H: 6'	Area of Influence 16' x 6'	OMNIPOD No



HOOPS



ARCH JET 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 25 GPM	Flow: 1.14 GPM
Dimensions L: 6' W: 65/8" H: 10'8"	Area of Influence 6' x 3'	OMNIPOD Yes

BAKIN' IN THE SUN	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	Flow: 7 GPM	Flow: 0.38 GPM
Dimensions L: 2'5" W: 3'5" H: 1'9"	Area of Influence 3' x 8'	OMNIPOD Yes




HOOPS



KIDDIE KAR WASH	LOW FLOW	MYSTICAL FUN
Flow: 114 GPM	Flow: 76 GPM	Flow: 13.9 GPM
Dimensions L: 6' W: 15'10" H: 8'6"	Area of Influence 21' x 12'	OMNIPOD No

ROCODILE STEVE	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	Flow: 7 GPM	Flow: 0.38 GPM
Dimensions L: 2'5" W: 3'1" H: 1'9"	Area of Influence 3' x 8'	OMNIPOD Yes



ABOVE GROUND FEATURES

CREATURE FEATURES




JEREMIAH THE BULLFROG	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	Flow: 7 GPM	Flow: 0.38 GPM
Dimensions L: 3'11" W: 4'7" H: 2'11"	Area of Influence 6' x 4'	OMNIPOD Yes



MISS PEARL	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	Flow: 7 GPM	Flow: 0.38 GPM
Dimensions L: 3'3" W: 3'3" H: 1'8"	Area of Influence 4' Diameter	OMNIPOD Yes



MR. CLAW	LOW FLOW	MYSTICAL FUN
Flow: 19 GPM	Flow: 7 GPM	Flow: 0.38 GPM
Dimensions L: 3'5" W: 4'3" H: 2'	Area of Influence 3' x 8'	OMNIPOD Yes



MR. TARTER	LOW FLOW	MYSTICAL FUN
Flow: 9 GPM	Flow: 3.5 GPM	Flow: 0.19 GPM
Dimensions L: 2'6" W: 3'1" H: 1'9"	Area of Influence 3' x 6'	OMNIPOD Yes



OLD SALTY	LOW FLOW	MYSTICAL FUN
Flow: 9 GPM	Flow: 3.5 GPM	Flow: 0.19 GPM
Dimensions L: 2'5" W: 3'1" H: 1'9"	Area of Influence 3' x 6'	OMNIPOD Yes

ELLIE ELEPHANT

ELLIE ELEPHANT	LOW FLOW	MYSTICAL FUN
Flow: 20 GPM	Flow: 7 GPM	Flow: 0.38 GPM
Dimensions L: 3'1" W: 4' H: 1'4"	Area of Influence 3' x 8'	OMNIPOD Yes



SNAPPY THE TURTLE

SNAPPY THE TURTLE	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	Flow: 7 GPM	Flow: 0.38 GPM
Dimensions L: 2'9" W: 4'9" H: 2'10"	Area of Influence 6' x 4'	OMNIPOD Yes



FEELIN' FROGGY

FEELIN' FROGGY	LOW FLOW	MYSTICAL FUN
Flow: 101 GPM	Flow: 28.6 GPM	Flow: 15.99 GPM
Dimensions L: 14' W: 15'10" H: 9'	Area of Influence 20' x 25'	OMNIPOD No



FROGGY HOOP

FROGGY HOOP	LOW FLOW	MYSTICAL FUN
Flow: 12 GPM	Flow: 1.9 GPM	Flow: 1.9 GPM
Dimensions L: 6'9" W: 12" H: 9'	Area of Influence 6' x 2'	OMNIPOD Yes



SILLIER SERPENT HEAD

SILLIER SERPENT HEAD	LOW FLOW	MYSTICAL FUN
Flow: 10 GPM	N/A	Flow: 0.19 GPM
Dimensions L: 1' W: 3' H: 13'	Area of Influence 8' Diameter	OMNIPOD Yes



CREATURE FEATURES

ANIMALS

ABOVE GROUND FEATURES

ANIMALS




SILLIER SERPENT	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 20 GPM	Flow: 10.4 GPM
Dimensions L: 5' W: 20' H: 13'	Area of Influence 25' x 8'	OMNIPOD No



SPRAYING PELICAN	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	Flow: 3 GPM	Flow: 0.19 GPM
Dimensions L: 4' W: 65/8" H: 13'	Area of Influence 10' x 6'	OMNIPOD Yes



THREE HEADED SERPENT	LOW FLOW	MYSTICAL FUN
Flow: 60 GPM	Flow: 30 GPM	Flow: 0.57 GPM
Dimensions L: 6' W: 6' H: 9'7"	Area of Influence 12' Diameter	OMNIPOD Yes



TUMBLING WEATHER VANE	LOW FLOW	MYSTICAL FUN
Flow: 58 GPM	Flow: 30 GPM	N/A
Dimensions L: 7' W: 7' H: 13'9"	Area of Influence 12' Diameter	OMNIPOD Yes



WACKY WORM	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: 15 GPM	Flow: 8.6 GPM
Dimensions L: 2'10" W: 18' H: 3'8"	Area of Influence 26' x 6'	OMNIPOD No

ANIMALS



WASHED UP WHALE	LOW FLOW	MYSTICAL FUN
Flow: 300 GPM	Flow: 60 GPM	Flow: 15 GPM
Dimensions L: 13' W: 16' H: 15'	Area of Influence 21' x 16'	OMNIPOD No

COOL TAILS	LOW FLOW	MYSTICAL FUN
Flow: 14 GPM	Flow: 2.3 GPM	Flow: 0.98 GPM
Dimensions L: 6' W: 6' H: 10'9"	Area of Influence 3' x 8'	OMNIPOD Yes




CRAZY CACTUS	LOW FLOW	MYSTICAL FUN
Flow: 60 GPM	Flow: 30 GPM	N/A
Dimensions L: 6' W: 65/8" H: 9'7"	Area of Influence 6' x 3'	OMNIPOD Yes



DANCIN' DAISY	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	N/A	N/A
Dimensions L: 4'4" W: 4'4" H: 10'1"	Area of Influence 8' Diameter	OMNIPOD Yes



LEAF SPRAY	LOW FLOW	MYSTICAL FUN
Flow: 8 GPM	N/A	Flow: 0.76 GPM
Dimensions L: 2' W: 6' H: 10'3"	Area of Influence 5' Diameter	OMNIPOD Yes



PLANTS & TREES

ABOVE GROUND FEATURES

PLANTS & TREES



PALM TREE ROYALE	LOW FLOW	MYSTICAL FUN
Flow: 10 GPM	N/A	Flow: 0.76 GPM
Dimensions L: 13'1" W: 13'1" H: 13'	Area of Influence 12' Diameter	OMNIPOD Yes



PALM TREE STANDARD	LOW FLOW	MYSTICAL FUN
Flow: 10 GPM	N/A	Flow: 0.76 GPM
Dimensions L: 13'1" W: 13'1" H: 13'	Area of Influence 12' Diameter	OMNIPOD Yes



PALM TREE SWANKY	LOW FLOW	MYSTICAL FUN
Flow: 10 GPM	N/A	Flow: 0.76 GPM
Dimensions L: 13'1" W: 13'1" H: 13'	Area of Influence 12' Diameter	OMNIPOD Yes



PALM TREE WITH THREE BANANAS	LOW FLOW	MYSTICAL FUN
Flow: 54 GPM	Flow: 30 GPM	N/A
Dimensions L: 13'1" W: 13'1" H: 13'	Area of Influence 12' Diameter	OMNIPOD Yes



PALM TREE WITH FIVE BANANAS	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: 50 GPM	N/A
Dimensions L: 13'1" W: 13'1" H: 13'	Area of Influence 16' Diameter	OMNIPOD Yes

PLANTS & TREES



PALM TREE WITH THREE COCONUTS	LOW FLOW	MYSTICAL FUN
Flow: 54 GPM	Flow: 30 GPM	N/A
Dimensions L: 13'1" W: 13'1" H: 13'	Area of Influence 12' Diameter	OMNIPOD Yes



PALM TREE WITH FIVE COCONUTS	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: 50 GPM	N/A
Dimensions L: 13'1" W: 13'1" H: 13'	Area of Influence 16' Diameter	OMNIPOD Yes

SUNFLOWER 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 14 GPM	Flow: 3 GPM	Flow: 0.19 GPM
Dimensions L: 3' W: 2' H: 9'	Area of Influence 9' x 6'	OMNIPOD Yes



SUNFLOWER DUAL HEAD 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 28 GPM	Flow: 6 GPM	Flow: 0.38 GPM
Dimensions L: 6'5" W: 2' H: 9'	Area of Influence 10' Diameter	OMNIPOD Yes




SUNFLOWER TRIPLE HEAD 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 42 GPM	Flow: 9 GPM	Flow: 0.57 GPM
Dimensions L: 3' W: 6'5" H: 9'	Area of Influence 10' Diameter	OMNIPOD Yes



* 6N designated products have no interactive FunFlow valve. 6V designated products have a valve for interactive play.

ABOVE GROUND FEATURES

NAUTICAL



BIG KAHUNA WAVE	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: N/A	Flow: N/A
Dimensions L: 8'4" W: 6' H: 4'	Area of Influence 12' 6" Diameter	OMNIPOD Yes



LEAKIN' BEACON	LOW FLOW	MYSTICAL FUN
Flow: 14 GPM	Flow: 2.3 GPM	Flow: N/A
Dimensions L: 3'6" W: 3'6" H: 10'10"	Area of Influence 12' Diameter	OMNIPOD Yes



NAUTICAL SPRAY 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 25 GPM	Flow: 1.52 GPM
Dimensions L: 6'6" W: 65/8" H: 13'	Area of Influence 20' x 8'	OMNIPOD Yes



PIRATES COVE	LOW FLOW	MYSTICAL FUN
Flow: 52.5 GPM	Flow: 27.5 GPM	Flow: 4.02 GPM
Dimensions L: 7'10" W: 13'7" H: 13'	Area of Influence Up to 40'	OMNIPOD Yes



PIRATES SLOOP	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: N/A	Flow: N/A
Dimensions L: 8' W: 65/8" H: 16'5"	Area of Influence 6' x 10'	OMNIPOD Yes

NAUTICAL




SHIP ANCHOR	LOW FLOW	MYSTICAL FUN
Flow: 80 GPM	Flow: 30 GPM	Flow: 1.8 GPM
Dimensions L: 9'4" W: 65/8" H: 13'3"	Area of Influence 13' x 18'	OMNIPOD Yes

SPINNAKER DOUBLE 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	Flow: N/A	Flow: N/A
Dimensions L: 5'6" W: 65/8" H: 12'	Area of Influence 10' Diameter	OMNIPOD Yes

SPINNAKER SINGLE 6N/6V*	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	Flow: N/A	Flow: N/A
Dimensions L: 5'6" W: 65/8" H: 10'7"	Area of Influence 10' Diameter	OMNIPOD Yes

SPRAY PIER BEACON	LOW FLOW	MYSTICAL FUN
Flow: 60 GPM	Flow: N/A	Flow: N/A
Dimensions L: 2'2" W: 2'2" H: 6'	Area of Influence 14' Diameter	OMNIPOD Yes


SUPER SUB H2O	LOW FLOW	MYSTICAL FUN
Flow: 200 GPM	Flow: 100 GPM	Flow: 4.02 GPM
Dimensions L: 5' W: 13'10" H: 14'4"	Area of Influence 20' Diameter	OMNIPOD Yes



* 6N designated products have no interactive FunFlow valve. 6V designated products have a valve for interactive play.

ABOVE GROUND FEATURES

NAUTICAL



WATER FUN BARREL CANNON	LOW FLOW	MYSTICAL FUN
Flow: 2.5 GPM	N/A	N/A
Dimensions L: 2'4" W: 2'4" H: 3'6"	Area of Influence 10' x 5'	OMNIPOD Yes



WATER FUN PIRATE CANNON	LOW FLOW	MYSTICAL FUN
Flow: 2.5 GPM	N/A	N/A
Dimensions L: 2'3" W: 65/8" H: 3'8"	Area of Influence 10' x 5'	OMNIPOD Yes



RAIL ROAD SPRAY	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 30 GPM	N/A
Dimensions L: 2' W: 1' H: 8'2"	Area of Influence 8' Diameter	OMNIPOD Yes



RAIN HOPPER	LOW FLOW	MYSTICAL FUN
Flow: 65 GPM	N/A	N/A
Dimensions L: 6' W: 17'7" H: 18'5"	Area of Influence 20' Diameter	OMNIPOD No

TRANSPORTATION



RAIN PLANE	LOW FLOW	MYSTICAL FUN
Flow: 150 GPM	N/A	N/A
Dimensions L: 20'11" W: 16'2" H: 17'8"	Area of Influence 25' Diameter	OMNIPOD No



RAIN SOAKER	LOW FLOW	MYSTICAL FUN
Flow: 60 GPM	N/A	N/A
Dimensions L: 6' W: 6' H: 15'	Area of Influence 10' Diameter	OMNIPOD Yes




SLOPPY JALOPY	LOW FLOW	MYSTICAL FUN
Flow: 124 GPM	N/A	N/A
Dimensions L: 49" W: 9'4" H: 4'3"	Area of Influence 16' x 12'	OMNIPOD Yes




SMOKESTACK	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 30 GPM	Flow: 0.78 GPM
Dimensions L: 1' W: 1' H: 10'11"	Area of Influence 8' Diameter	OMNIPOD Yes

TRANSPORTATION



ABOVE GROUND FEATURES

SPORTS



THE BIG LEAK	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	N/A	Flow: 1.14 GPM
Dimensions L: 121 1/2" W: 121 1/2" H: 8'2"	Area of Influence 8' Diameter	OMNIPOD Yes

SPRAYING TENNIS BALL	LOW FLOW	MYSTICAL FUN
Flow: 11 GPM	N/A	Flow: 1 GPM
Dimensions L: 42" W: 42" H: 20"	Area of Influence 6' Diameter	OMNIPOD Yes



SPRAYING BASEBALL	LOW FLOW	MYSTICAL FUN
Flow: 11 GPM	N/A	Flow: 1 GPM
Dimensions L: 42" W: 42" H: 20"	Area of Influence 6' Diameter	OMNIPOD Yes

TALL SPRAYING BASEBALL	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 30 GPM	Flow: 0.78 GPM
Dimensions L: 1' W: 1' H: 10'	Area of Influence 8' Diameter	OMNIPOD Yes



SPRAYING BASKETBALL	LOW FLOW	MYSTICAL FUN
Flow: 11 GPM	N/A	Flow: 1 GPM
Dimensions L: 42" W: 42" H: 20"	Area of Influence 6' Diameter	OMNIPOD Yes

TALL SPRAYING BASKETBALL	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 30 GPM	Flow: 0.78 GPM
Dimensions L: 1' W: 1' H: 10'	Area of Influence 8' Diameter	OMNIPOD Yes



SPRAYING GOAL POST	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 25 GPM	Flow: 1.14 GPM
Dimensions L: 261 1/4" W: 261 1/4" H: 12'	Area of Influence 11' x 6'	OMNIPOD Yes

TALL SPRAYING SOCCER BALL	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 30 GPM	Flow: 0.78 GPM
Dimensions L: 1' W: 1' H: 10'11"	Area of Influence 8' Diameter	OMNIPOD Yes




SPRAYING SOCCER BALL	LOW FLOW	MYSTICAL FUN
Flow: 11 GPM	N/A	Flow: 1 GPM
Dimensions L: 42" W: 42" H: 20"	Area of Influence 6' Diameter	OMNIPOD Yes

TALL SPRAYING TENNIS BALL	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 30 GPM	Flow: 0.78 GPM
Dimensions L: 1' W: 1' H: 10'	Area of Influence 8' Diameter	OMNIPOD Yes



ABOVE GROUND FEATURES

MUSICAL



BOOGIE WOOGIE KEYBOARD	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	N/A	Flow: 0.95 GPM
Dimensions L: 6' W: 4'3" H: 6'	Area of Influence 12' x 8'	OMNIPOD No



CELLO	LOW FLOW	MYSTICAL FUN
Flow: 22 GPM	N/A	Flow: 0.78 GPM
Dimensions L: 3' W: 1' H: 10'	Area of Influence 12' Diameter	OMNIPOD Yes



CLARINET	LOW FLOW	MYSTICAL FUN
Flow: 15 GPM	N/A	Flow: 0.78 GPM
Dimensions L: 1' W: 1' H: 10'	Area of Influence 12' Diameter	OMNIPOD Yes



DRUM	LOW FLOW	MYSTICAL FUN
Flow: 5 GPM	N/A	Flow: 0.78 GPM
Dimensions L: 5' W: 5' H: 10'	Area of Influence 16' Diameter	OMNIPOD Yes



FRENCH HORN	LOW FLOW	MYSTICAL FUN
Flow: 12 GPM	N/A	Flow: 0.78 GPM
Dimensions L: 1'8" W: 1' H: 5'10"	Area of Influence 8' x 3'	OMNIPOD Yes

MUSICAL




SAX	LOW FLOW	MYSTICAL FUN
Flow: 2.3 GPM	N/A	Flow: 0.78 GPM
Dimensions L: 1' W: 3' H: 12'6"	Area of Influence 6' Diameter	OMNIPOD Yes



BARN SPRAYER	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	Flow: 25 GPM	Flow: 1.14 GPM
Dimensions L: 6' W: 2' H: 10'8"	Area of Influence 6' x 3'	OMNIPOD Yes



BARN GUSHER	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	N/A	N/A
Dimensions L: 6' W: 2' H: 11'11"	Area of Influence 7' x 10'	OMNIPOD Yes



HOT LIPS	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	N/A	N/A
Dimensions L: 5'7" W: 3' H: 15'4"	Area of Influence 12' x 10'	OMNIPOD Yes



FIRE HYDRANT GUSHER	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	N/A	Flow: 0.19 GPM
Dimensions L: 85/8" W: 85/8" H: 2'9"	Area of Influence 6' Spray	OMNIPOD Yes

THEMED

ABOVE GROUND FEATURES

LAZY RIVER

THEMED



FIRE HYDRANT SPRAY	LOW FLOW	MYSTICAL FUN
Flow: 88 GPM	Flow: 15.4 GPM	Flow: 0.76 GPM
Dimensions L: 85/8" W: 85/8" H: 2'9"	Area of Influence 6' Diameter	OMNIPOD Yes



OLDE TOWN WATER TOWER	LOW FLOW	MYSTICAL FUN
Flow: 95 GPM	Flow: 60.8 GPM	N/A
Dimensions L: 6' W: 10' H: 16'6"	Area of Influence 12' Diameter	OMNIPOD No



WATER TOWER BURST	LOW FLOW	MYSTICAL FUN
Flow: 400 GPM	N/A	N/A
Dimensions L: 14'7" W: 14'7" H: 14'7"	Area of Influence 20' Diameter	OMNIPOD No

ARCH WAY DUMP BUCKET	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	N/A	N/A
Dimensions L: 9' W: 3'10" H: 11'	Area of Influence 12' Diameter	OMNIPOD Yes



LAZY RIVER TUMBLEBUCKETS	LOW FLOW	MYSTICAL FUN
Flow: 200 GPM	N/A	N/A
Dimensions L: 15' W: 10' H: 14'5"	Area of Influence 11' x 8'	OMNIPOD No



LAZY RIVER TUMBLING BUCKET	LOW FLOW	MYSTICAL FUN
Flow: 18 GPM	N/A	N/A
Dimensions L: 9' W: 3'10" H: 11'	Area of Influence 12' Diameter	OMNIPOD Yes



WATER FALL	LOW FLOW	MYSTICAL FUN
Flow: 90 GPM	N/A	N/A
Dimensions L: 6'6" W: 4' H: 8'9"	Area of Influence 10' x 6'	OMNIPOD Yes



WHEELY FUN	LOW FLOW	MYSTICAL FUN
Flow: 45 GPM	N/A	N/A
Dimensions L: 9' W: 3'10" H: 11'	Area of Influence 12' Diameter	OMNIPOD Yes





RAIN FOREST	LOW FLOW	MYSTICAL FUN
Flow: 450 GPM	N/A	N/A
Dimensions L: 19'8" W: 21' H: 15'5"	Area of Influence 30' Diameter	OMNIPOD No



RAIN STORM	LOW FLOW	MYSTICAL FUN
Flow: 385 GPM	N/A	N/A
Dimensions L: 18'3" W: 16'2" H: 17'8"	Area of Influence 25' Diameter	OMNIPOD No



RAIN HUT	LOW FLOW	MYSTICAL FUN
Flow: 510 GPM	N/A	N/A
Dimensions L: 22'7" W: 6'11" H: 20'	Area of Influence 30' Diameter	OMNIPOD No



SHOWER 1-101	LOW FLOW	MYSTICAL FUN
Flow: 60 GPM	N/A	N/A
Dimensions L: 18'7" W: 6' H: 14'6"	Area of Influence 25' Diameter	OMNIPOD No



SHOWER 1-201	LOW FLOW	MYSTICAL FUN
Flow: 265 GPM	N/A	N/A
Dimensions L: 26'10" W: 26'9" H: 15'	Area of Influence 35' Diameter	OMNIPOD No



SHOWER 1-105	LOW FLOW	MYSTICAL FUN
Flow: 345 GPM	N/A	N/A
Dimensions L: 26'6" W: 16'7" H: 11'7"	Area of Influence 30' Diameter	OMNIPOD No



SHOWER 3-101	LOW FLOW	MYSTICAL FUN
Flow: 50 GPM	N/A	N/A
Dimensions L: 8' W: 31'7" H: 11'11"	Area of Influence 12' x 40'	OMNIPOD No



SHOWER 2-101	LOW FLOW	MYSTICAL FUN
Flow: 450	N/A	N/A
Dimensions L: 30'7" W: 25'2" H: 17'6"	Area of Influence 40' Diameter	OMNIPOD No






STORM 2-201	LOW FLOW	MYSTICAL FUN
Flow: 450 GPM	N/A	N/A
Dimensions L: 33' W: 21' H: 21'11"	Area of Influence 45' Diameter	OMNIPOD No



STORM 6-201	LOW FLOW	MYSTICAL FUN
Flow: 950 GPM	N/A	N/A
Dimensions L: 18'1" W: 30'8" H: 19'10"	Area of Influence 40' Diameter	OMNIPOD No



STORM 4-101	LOW FLOW	MYSTICAL FUN
Flow: 615.5 GPM	N/A	N/A
Dimensions L: 27'10" W: 26'2" H: 18'11"	Area of Influence 40' Diameter	OMNIPOD No



MONSOON 1-101	LOW FLOW	MYSTICAL FUN
Flow: 200 GPM	N/A	N/A
Dimensions L: 18'7" W: 6' H: 14'6"	Area of Influence 25' Diameter	OMNIPOD No



MONSOON 4-201	LOW FLOW	MYSTICAL FUN
Flow: 650 GPM	N/A	N/A
Dimensions L: 32'7" W: 24'1" H: 22'9"	Area of Influence 40' Diameter	OMNIPOD No



MONSOON 2-101	LOW FLOW	MYSTICAL FUN
Flow: 275 GPM	N/A	N/A
Dimensions L: 30'7" W: 21'9" H: 21'2"	Area of Influence 40' Diameter	OMNIPOD No



MONSOON 2-105	LOW FLOW	MYSTICAL FUN
Flow: 650 GPM	N/A	N/A
Dimensions L: 27' W: 18'10" H: 23'6"	Area of Influence 30' Diameter	OMNIPOD No



MONSOON 2-205	LOW FLOW	MYSTICAL FUN
Flow: 400 GPM	N/A	N/A
Dimensions L: 70'1" W: 25'2" H: 23'7"	Area of Influence 75' x 30'	OMNIPOD No



MONSOON 3-201	LOW FLOW	MYSTICAL FUN
Flow: 510 GPM	N/A	N/A
Dimensions L: 37'7" W: 31'6" H: 22'2"	Area of Influence 50' Diameter	OMNIPOD No



MONSOON 3-205	LOW FLOW	MYSTICAL FUN
Flow: 1400 GPM	N/A	N/A
Dimensions L: 42'8" W: 23'2" H: 27'	Area of Influence 60' Diameter	OMNIPOD No

MONSOON SERIES
TYPHOON SERIES



MONSOON 4-205	LOW FLOW	MYSTICAL FUN
Flow: 600 GPM	N/A	N/A
Dimensions L: 41'3" W: 40'7" H: 22'2"	Area of Influence 50' Diameter	OMNIPOD No



TYPHOON 1-201	LOW FLOW	MYSTICAL FUN
Flow: 285 GPM	N/A	N/A
Dimensions L: 26' W: 45' H: 12'7"	Area of Influence 56' Diameter	OMNIPOD No




TYPHOON 13-101	LOW FLOW	MYSTICAL FUN
Flow: 625 GPM	N/A	N/A
Dimensions L: 26' W: 36' H: 13'6"	Area of Influence 46' Diameter	OMNIPOD No




AQUA RUN	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: 6.6 GPM	N/A
Dimensions L: 5' W: 5'10" H: 5'	Area of Influence 10' Diameter	OMNIPOD Yes



UNIVERSALLY ACCESSIBLE AQUA RUN	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: 6.6 GPM	N/A
Dimensions L: 7'10" W: 13'1" H: 5'	Area of Influence 20' Diameter	OMNIPOD Yes




AQUA RUN DOUBLE	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: 6.6 GPM	N/A
Dimensions L: 7'10" W: 5'10" H: 5'	Area of Influence 20' Diameter	OMNIPOD Yes



AQUA RUN ROCK SLIDE	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: 6.6 GPM	N/A
Dimensions L: 5' W: 5'10" H: 5'	Area of Influence 10' Diameter	OMNIPOD Yes



DOUBLE RACER SLIDE	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: 6.6 GPM	N/A
Dimensions L: 5' W: 10'4" H: 7'	Area of Influence 20' Diameter	OMNIPOD Yes



HELMET SLIDE	LOW FLOW	MYSTICAL FUN
Flow: 30 GPM	Flow: 6.6 GPM	N/A
Dimensions L: 5'4" W: 10' H: 8'	Area of Influence 20' Diameter	OMNIPOD Yes



TRAIN SLIDE	LOW FLOW	MYSTICAL FUN
Flow: 55 GPM	N/A	N/A
Dimensions L: 6' W: 10' H: 8'	Area of Influence 20' Diameter	OMNIPOD Yes



SEMI SLIDE	LOW FLOW	MYSTICAL FUN
Flow: 55 GPM	N/A	N/A
Dimensions L: 6' W: 16' H: 4'10"	Area of Influence 20' Diameter	OMNIPOD Yes



RECIRCULATION & FILTRATION SYSTEMS

Rain Drop offers equipment packages that are custom-designed for your specific SprayGround or water park requirements. Whether it is a chlorine, ultraviolet, ozone or saline system, all filtration, sanitation, re-circulation, and water controls are configured to have your operation up and running quickly. Every component is sized to requirements and fully tested.

BOLLARD ACTIVATOR

The Bollard Activator uses a motion sensor to activate the SprayGround when children are present.



FIRE HYDRANT ACTIVATOR

The Fire Hydrant Activator uses a pressure sensitive button to allow children to activate the SprayGround. Available with or without water outlets.



MECHANICAL ACTIVATOR

Can be added to an individual feature to mechanically control the water flow. Press the activator and the water turns on, then slowly turns off.



PUSH BUTTON ACTIVATOR

The Push Button Activator uses a pressure sensitive button to allow children to activate the SprayGround.




ACTIVATORS



STEP ACTIVATOR

The Step Activator is a flush mounted pressure sensitive button that allows children to activate the SprayGround.




WALL MOUNT ACTIVATOR

The Wall Mount Activator uses a motion sensor to activate the SprayGround when children are present.



WIRELESS ACTIVATOR

The Wireless Activator uses radio frequencies to activate the SprayGround when children are present. It can also be added to any above ground feature to activate features independently.



MANIFOLD SYSTEM

Available Diameters
4", 6", 8"

Outlets
Up to 20 per manifold section



FIBERGLASS RESERVOIRS

Available in sizes from 700 gallon to 6000 gallon.

SKID MOUNT

SKID MOUNT EQUIPMENT PACK

Custom designed for your SprayGround. Pre-assembled to make installation easy.



THE OMNIPOD INTERFACE

OMNIPOD® is the exclusive feature interface offered only by Rain Drop™ Products. Not only does OMNIPOD simplify installation, it offers endless possibilities to add, change, or rearrange above or below ground features to keep your SprayGround® layout fresh and enjoyable.




COLOR PALETTE

It is more fun than ever to get wet with colorful water features from Rain Drop®. Vibrant new colors in primary, earth tone, pastel, shimmer, stone, and woodgrain add excitement. We can also customize finishes by matching any color for endless possibilities.

Tumble Buckets only available in primary and stone colors. Representations shown may vary slightly from actual product colors.



OMNIPOD interfaces can be a key option in your SprayGround design. OMNIPOD's are plumbed to water supply lines during construction and are finished flush with the decking surface. Consider installing extra OMNIPODs for greater future flexibility!



- OMNIPODs allow inter-changeability of below-ground and above-ground features by unbolting, removing, and repositioning the features in alternate locations.
- OMNIPOD connects features to the filtered water supply easily and securely.
- Pre-planning extra OMNIPODs into your design is an affordable way to allow for expansion and flexibility.
- Unused OMNIPODs are sealed flush with the surface so there are no tripping hazards.
- OMNIPODs allow water parks numerous options for fresh and entertaining configurations.

PRIMARY COLORS



PASTEL COLORS




EARTH TONE COLORS



SHIMMER COLORS



STONE COLORS Only available on domes & tumble buckets, for additional charge



WOODGRAINS Additional charge





THE RAIN DROP 5/25 WARRANTY TERMS



The water play features manufactured by Rain Drop™ Products are warranted for five years from date of shipment against any defects in material or workmanship; excluding only normal wear and tear and improper operation or installation.

The fiberglass reinforced plastic (FRP) and/or structural tubing furnished with the fountains has a 25-year unconditional warranty against rust and corrosion from the date of shipment.

The liability of Rain Drop Products under this warranty is limited to the replacement or repair of defective material to the owner's designated location of such materials as they are covered by this warranty-provided written notice of such defect is delivered to Rain Drop Products, Ashland, Ohio within the warranty period and within 15 days after such defect was discovered. Rain Drop Products shall not be liable for the shipping cost of return of such claimed defective materials to Rain Drop Products or for shipping cost of replacement materials. Whether to replace or repair the feature is ultimately the decision of Rain Drop Products, LLC.

The original manufacturer of the equipment warrants the filtration/ chlorination/ recirculation equipment supplied by Rain Drop Products, LLC and carries the warranty of the original manufacturer. This equipment includes, but is not limited to, electric relays, switches, solenoid valves, transformers, breakers and controllers.

This warranty is in lieu of all other warranties expressed or implied.

QUESTIONNAIRE



PERSONAL & PROJECT INFORMATION:

*Name/Organization: _____ *Project Name: _____
 *Contact: _____ *Project Budget: \$ _____
 *Address: _____ Architect/Engineering firm retained: Yes No
 If yes, Company: _____
 *City: _____ *State: _____ *Zip: _____ Contact: _____ Phone: _____
 *Country: _____ Date Proposal is Required: _____
 *Phone: _____ *Fax: _____

(CHECK ALL THAT APPLY:

- *SprayGround® shape:
 Rectangle Circle Oval Square
 Other: _____
- Dimensions: ____ ft. X ____ ft. Square Feet: ____
 Location: Pool Complex Park Water Park
 Housing Development Beach Front
 Other: _____
- Planned age group: All Toddlers Pre-School
 Kindergarten Elementary Age
- Is there a site plan? Yes No
 Can you provide: Sketch Drawing Auto CAD
- Will the SprayGround: Drain-away or Re-circulate
 If answer is drain-away water, skip to question 11
- Is there a sanitary sewer line to back flush filter into?
 Yes No If yes, how far away? _____
- Is electricity available? Yes No
 If yes, what type: 3 phase Single phase
 Voltage available: 280V 230V 460V
- Do you want Rain Drop to supply the filtration, chlorine, and re-circulation systems? Yes No
 If yes, what type: Site Assembled Parts
 Skid Mount Equipment System
 Below Ground Equipment Vault
 Mechanical Room (10'x8' min)
 Existing Need to build
- What type of chlorination system? Liquid Tablet
- Water Source: How far from SprayGround? ____ ft.
 Provided by the city? Yes No Other _____
 Line size: ____ Flow: ____ Water pressure: ____
- Who will do the work? Maintenance Contractor
- Preferred contractor? Yes No
 If yes, Company: _____
 Contact: _____ Phone: _____
- Do you want Rain Drop Products to do the design and specifications? Yes No
 If yes, provide them to: You Architect/Engineer
 Other: _____
- Comments: (ex. favorite features, etc.) _____

Please fax completed forms to: 419.207.8902 or e-mail to: info@rain-drop.com

RAIN DROP SALES REPRESENTATIVES:

Fill out your company information:
 Company Name: _____
 Contact Name: _____
 Phone: _____

* Denotes a required field. Must be filled out in order to complete design process.



Rain Drop Products, LLC

716 Union Street • Ashland, OH 44805

419.207.1229

www.rain-drop.com